

€ 60.360,00
(MwSt. ausweisbar)

Volvo C40

C40 Recharge Single Motor Extended Range Elektrisch Plus



NEU!

MOLL GRUPPE
AUTO PERFORMANCE

V O L V O

moll.de

Gelaendewagen/Pickup Elektro

Neuwagen
15km
185 kW (251 PS)
Automatik

Verbrauchangaben:
komb. 0,0 l/100km*
CO₂ Emissionen
komb. 0,0 g/km*
Schadstoffklasse 0

A	A
B	
C	
D	
E	
F	
G	

Standort

Autohaus Adelbert Moll GmbH & Co. KG
Schiesstrasse 40, 40549 Düsseldorf
Tel: 0211 95985717

Ausstattung

Scheckheftgepflegt	Klimaautomatik	elektr. Fensterheber	Servolenkung
Tempomat	Zentralverriegelung	Airbag	Kopfairbag
Seitenairbag	Wegfahrsperre	Abstandsregler	Soundsystem
Einparkassistent	Bluetooth	Panoramadach	Rueckfahrkamera
StartStop	Accoustic Sound System	Android Auto	Berganfahrhilfe
Fahrersitz hoeohenverstellbar	Lordosenstuetze	Musikstreaming	Notrufsystem
Parksensor	Radio MP3 faehig	Reifendruckkontrolle	Scheinwerferreinigungsanlag e
Colorscheibe	ABS	Airbag vorne	Aussenspiegel elektrisch
Isofix	Lenkrad mit Multifunktion	Muedigkeitswarner	Rueckbank getrennt umlegbar
Abstandstempomat	Alarmanlage	Bordcomputer	Innenspiegel abblendbar

Nichtraucher Bluetooth Freisprechanlage Scheckheftgepflegt Traktionskontrolle PDC Rückfahrkamera Induktionsladen Smartphone	Radio Mittelarmlehne Sitzheizung USB Colorverglasung Bremsbelaganzeige Waschwasserstand	Apple CarPlay Notbremsassistent Touchscreen Sitzheizung Stoff iPad/iPod-anschluss Digitaler Radioempfang (DAB+)	ESP Regensensor Sprachsteuerung Leichtmetallfelgen Nebelscheinwerfer Standheizung Wärmepumpe
Lenkradheizung Einparkhilfe vorn und hinten	Sitzheizung vorn Dachhimmel in Anthrazit	Knieairbag Fahrerseite Geschwindigkeitsabhängige Servolenkung	Volvo ON CALL Heckklappenautomatik (elektrisch)
Pilot Assist	ESC-Fahrdynamikregelung	Aussenspiegel elektrisch einklappbar Bluetooth-Freisprecheinrichtung inkl. Audiostreaming	Innen- und Aussenspiegel mit Abblendautomatik Blinkleuchten (LED) in Aussenspiegeln integriert
Multifunktionstasten am Lenkrad	Seiten- und Heckfenster abgedunkelt (ab B-Säule)	Seitenairbags für Fahrer und Beifahrer	Ausklappbarer (Taschen-)Haken am Handschuhfach
Ambientebeleuchtung (Erweiterte Innenbeleuchtung) Beifahrersitz höhen- und längenverstellbar Ambientelicht elektr. Heckklappe Spiegel mit Abblendautomatik Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung) Abfalleimer in Mittelkonsole integriert Klimaautomatik mit 2-Zonen-Temperaturregelung Keyless Drive mit sensorgesteuerter Heckklappe	Kopf-/Schulterairbags (IC) für alle Insassen Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz Klimaautomatik Privacy Verglasung Gepaeckraumabtrennung Road Sign Information - Verkehrszeichenerkennung Hill Descent Control (HDC) - Bergabfahrassistent Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h) COLOUR HEADLINING OVER BELT: Black colour on headlining/ceiling	Rücksitze im Verhältnis 40/60 Sport-Lenkrad oder komplett umlegbar Waermeschutzverglasung Lichtsensorm Airbag für die Beifahrerseite (vorn) abschaltbar LED-Scheinwerfer Thors Hammer Hill Start Assist (HSA) - Berganfahrassistent Aluminiumladekantenschutz im Gepäckraum Faltbarer Laderaumboden mit Ladegutteilung und Befestigungssystem für Einkaufstaschen Automatische Verriegelung der Türen (deaktivierbar)	Xenon-Licht Uhr- und Drehzahlmesser ISOFIX-Aufnahmen für die äusseren Fondsitze ONYX BLACK / Metallic Induktives Smartphone-Ladesystem High Performance Sound Fensterumrandung in Hochglanzschwarz
ISOFIX-Aufnahmen für den Beifahrersitz	DAB RADIO RECEIVER: With DAB		Einstiegsleisten aus Aluminium mit Recharge Schriftzug
Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen Adaptive Geschwindigkeitsregelanlage	STEERING COLUMN: Steering column type B manual adj. CHARCOAL/CONNECT/CHARC OAL	Zentralverriegelung mit zwei Funkfernbedienungen Erweitertes Luftreinigungssystem mit Feinstaubfilterung	EXTERIOR LIGHT LOGIC: DDRL not together with position light Navigationssystem - not appreciated
1-SPEED RWD	Alkohol-Wegfahrsperre Vorbereitung	Einstufiges Shift-by-Wire-Getriebe	Erste-Hilfe-Set
Intelligenter Geschwindigkeitsassistent (ISA)	Panorama-Glasdach - feststehend	Vorderer Laderaum	12.3-Fahrerdisplay (31.2-cm-Diagonale)
2 USB-C-Anschlüsse	9-Touchscreen (22.9-cm-Diagonale)	ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car	ADM TRIMLEVEL: Administrative for R-Design vehicle
ADM. FAMILY AFTERMARKET: Service solution	ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function	APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor	ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL)
AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled Beheiztes Volvo Logo im Frontgrill	BASE COLOUR INTERIOR: Charcoal base colour interior Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA)	BRAKE PADS: Standard pad CABLE HARNESS ENGINE: Extra variant	BYPASS VALVE HVAC: With bypass valve CABLEHARNESS DOOR: Extra variant

CABLEHARNESS ROOF: Extra variant	CABLEHARNESS TUNNEL: Extra variant	CAR/STEERING/SEAT2: Extra Variant	CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B
COLOUR MATCHING - EXTERIOR: Colour matching - exterior	COLOURSINT/EXT: Onyx Black	CONNECTIVITY: With Connectivity	CSB - IF CONNECTIVITY: Connected Service Booking
DIAGNOSIS SYSTEM: EOBD	DOORS: 4 door	Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo	Digitales Benutzerhandbuch
EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4	END STOP LENGTH: Length 2	ENGINE COOLING FAN PERFORMANCE: Fan medium performance	ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine
ERR SEAT BELTS: With Electrical Reversible Retractors	EXTERIOR CODE: Onyx Black	EXTERIOR PAINTTYPE: Metallic	Escalated Emergency Stop: EES Level 1
FENDER SEALING: Fender sealing	FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ	FREQUENCY BAND & STEPRADIO: Frequency band and step for EU	FRONT AXLE WEIGHT - only CC: Front Axle Weight
FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant	FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant	FRONT SEATS - LH: Extra variant	FRONT SEATS - RH: Extra variant
FRONT SPRINGS-(weight): Extra variant	GEARBOXTYPE: Automatic gearbox	GEARSHIFT INDICATOR: Gearshift indicator	GERMAN FOR INSTRUMENT/RADIO
Gurtwarner für alle Sitze	HEADLIGHTSSYMMETRY: R asymmetric	HORN: Horn - std.	INFOTAINMENT HEAD UNIT: Extra variant
INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE	IR REFLECTIVE GLASS	LANGUAGE REGION: Language Region for Europe	Lane Keeping Aid und Lane Departure Warning
MAIN MARKET: Europe and Overseas markets	WINDSCREEN: Standard Windscreen Glass	MARKET PLATES/LABELS: Decals for outside Turkey	MARKET PLATES/LABELS: Decals outside Arabia
MARKET PLATES/LABELS: Decals outside Brazil	MARKET CODE: Market variant - not for part steering	MARKET PLATES/LABELS: Decals outside India	MARKET PLATES/LABELS: Decals outside Japan
MARKET PLATES/LABELS: Decals outside Japan/China	MARKET PLATES/LABELS: Decals outside China	MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia	MARKET PLATES/LABELS: Decals outside Russia
MARKET PLATES/LABELS: Labels for Europe	MARKET PLATES/LABELS: Decals outside Japan/China/Korea	MARKET PLATES/LABELS: Labels outside Australia	MARKET PLATES/LABELS: Labels outside Canada
MARKET PLATES/LABELS: Labels outside China and Arabia	MARKET PLATES/LABELS: Labels for MID EU	MARKET PLATES/LABELS: Labels outside USA/CANADA	MARKET PLATES/LABELS: MAXIMUM LOAD: Not applicable variant
MFI FUEL FILLER: MisFueling Inhibitor	MARKET PLATES/LABELS: Labels outside USA	NETWORK CONNECTIVITY MODE: TCAM in normal mode	Notfall-Bremsleuchten
OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked	Mittelarmlehne hinten inkl. Getränkehalter und Ablage	PANIC FUNCTION: Panic function with light & sound	PINCH PROTECTION LEVEL: Standard pinch protection
PLATES/DECALS: Labels for MFK19	OUTER REAR VIEW MIRRORS: Outer rear view mirror package	PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL	PRODUCT LABEL: Country of Origin
RADARTYPE: With ARGUS	POST IMPACT BRAKING: Post Impact Braking	REAR AXLE WEIGHT - only CC: Rear Axle Weight	REAR SPRINGS-(weight): Extra variant
REAR WIEW MIRRORLH SIDE: LH side rear view mirror - wide angle	REAR AXLE CABLE HARNESS: Extra variant	REGION IF DVD: DVD region 2	REMOTE MONITORING SYSTEM: RMS deactivated
RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle	REFRIGERANT: 1234YF	SCREEN THEMES/SKINS: Screen Skins Standard 1	SEAT COLOUR INTERIOR: Charcoal upholstery colour interior
SERVICE SOLUTION: Service solution	SAFETY BELT: Safety Belt - type B	SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation	SRS CALIBRATION: SRS Calibration 1
STEERING WHEEL POSITION: Left Hand Drive	SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle	STOP/START: Stop/Start	SUNVISOR DECAL: Sunvisor decal
SW MAJOR VERSION: SW Major default	STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification	SW PATCH VERSION: SW Patch default	Schutzkappen
	SW MINOR VERSION: SW Minor default		

Sprachfunktion	TELEPHONE NETWORK: Telephone system GSM	TOTAL WEIGHT CHECK: Carweight is OK	TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu
TYRE DIMENSION FOR LABELS: NONE	TYRE PRESSURE SPARE WHEEL: - The sign - to be printed.	UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:Liter/KM	UPHOLSTERY TYPE: Production upholstery
USER EXCEPTIONS: Not for Malaysia	USER PACKAGES: User package	VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System	VIDEO ALLOWED: Speed dependent
VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION)	VIN POS 4 or 7: VIN-code position 4	VIN POS 5 or 8: VIN-code position 5	VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON
WORKSHOP WIFI: With workshop wifi	YEAR DESIGNATION LETTER: Year des R = model year 2024	Zentralverriegelung mit elektrischer Entriegelung	ACTIVE GRILLSHUTTER: Active Grillshutter
ADM. FAMILY AFTERMARKET: Old POT drive unit	AUDIO LEVEL: AUDIO high	AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed always ON - disabled in number plate holder menu	BUMPER FRONT: Front bumper with holes for speed always ON - disabled in number plate holder menu
CABLE HARNESS TAILGATE: Extra variant	CABLEHARNESS DOOR DRIVER SIDE: Extra variant	CABLEHARNESS DOOR PASS SIDE: Extra variant	CAR/STEERING/SEAT3: Extra variant
CAR/STEERING: Extra Variant	CEM: High spec CEM	COMMON 27: V316/K316/V317	COMMON MATERIAL: Common material - all type 27 cars
CUSHION EXTENSION - PASSENGER: Cushion extension mechanical - passenger	Connect Textil/Microtech (Ledernachbildung)	D-PILLAR TRIM: Standard - Car color	Dekoreinlagen in Anthrazit
EXPANDING ABSORBER FRONT: Absorber Firewall type A	FOOT MOVEMENT DETECTION MODULE: Foot movement detection module - Gen 2	FRONT FENDER INSULATION: Front Fener Insulation	Geformter Schalthebel
Getriebetunnelabdeckung in glänzendem Schwarz	HEADRESTS FRONT: Headsrests Front - Fixed	INSULATION CARPETS: High spec NVH-carpets with Netpocket	INTERIOR CODE: Charcoal interior/Connect
INTERIOR LIGHT INTENSITY: Extra variant	Kleine Ablage - vorn	LEVELLING SENSOR CONFIGURATION: VDDM - Front Left - Rear Left	Vinyl/Charcoal seat/Comfort MARKET PLATES/LABELS: Labels for outside Korea
MARKET PLATES/LABELS: Labels outside Australia/APAC Import/Thailand	PEDAL ARRANGEMENT: Pedal standard	SALES VERSION - ADMINISTRATIVE: Ordinary SV	SHIFT BY WIRE: With Shift By Wire
Sport-Textilfußmatten - Anthrazit	TUNER: With DAB tuner - with FM tuner (for DAB)	USER EXCEPTIONS: Not for Luqiao	USER EXCEPTIONS: Only for Volvo Cars Gent
VEHICLE INSPECTION NUMBER: YV1	VIBR. DAMPER STEERING WHEEL: Vibration damper - version 4	Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App (optional) oder Menü	WINDSCREEN WIPER: Wet arms - not heated
WVTA-NUMBER: e92007/463146	AC COMPRESSORS: Electric AC	ADAPTIVE LOAD LIMITER FRONT: Adaptive Load Limiter Front Driver	CARE (3 Jahre) - beinhaltet Service - Wartung - Verschleiss
CATALYST TYPE: Catalyst missing	EMISSION VERSION 2: Emission missing	ENGINE DENOMINATION: Engine P8	ESM CALIBRATION: With ESM calibration C
Electric Engine: P8 EP 252	FRONT ANTI-ROLL BAR: Front Anti-Roll Bar 1	FRONT SHOCK ABSORBER: Front shock absorber 3 BEV	Feste Rücksitzkopfstützen
I-SIZE AND CUSHEX COMBINATIONS: With I-Size - With Cushex	Ladekabel Typ 2/Typ 2 (Mode 3) - 6 m Länge - 3-phasisig - 16A	MAX FRONT AXLE WEIGHT - C3: 1180 kg	REAR SHOCK ABSORBER: Rear shock absorber 3 BEV
REFRIGERANT AGENT QUANTITY: Refrigerating agent 1000g	SERVICE ENGINE TIME: Service Engine Time - 1300 hour	SERVICE TIME: Service time - 24 months.	STAGGERED WHEEL: Staggered wheels
STEER. COLUMN LOCK/KEY WARNING: With steering	TYRE CIRCUMFERENCE: Rolling circumference	TYRE PRESSURE HHLF: High speed - heavy load - front -	TYRE PRESSURE HHLR: High speed - heavy load - rear -

column lock - Key warning disabled	2185mm	280 kPa	280 kPa
TYRE PRESSURE HLLF: High speed - light load - front - 280 kPa	TYRE PRESSURE HLLR: High speed - light load - rear - 280 kPa	TYRE PRESSURE LHLF: Low speed - heavy load - front - 280 kPa	TYRE PRESSURE LHLR: Low speed - heavy load - rear - 280 kPa
TYRE PRESSURE LLLF: Low speed - light load - front - 280 kPa	TYRE PRESSURE LLLR: Low speed - light load - rear - 280 kPa	VERSION DIVIDER FOR VIN: Emissionlevel R	Acoustic Vehicle Alerting System (AVAS)
Standheizung mit Timer (elektrischbetrieben)	Kindersicherung hintere Tür elektrisch	Anhängerbeleuchtungsprüfung	20-5-Speichen Sport-Design Diamantschnitt/Hochglanzschwarz
5-V-Steckdose (2 USB) im hinteren Teil der Tunnelkonsole	Aussenspiegelabdeckungen in Wagenfarbe	EH - BEV	EXTERIOR LIGHTS SIGNATURE: Exterior Lights Signature Illumination Pattern F
Fahrersitz höhen- und längenverstellbar	Fully Electric Frontgrill und Grilleinfassung in Wagenfarbe	GROSS WEIGHT - C1: 2500 kg	Hintergrundbeleuchtete Einlage Topography
MAX REAR AXLE WEIGHT - C4: 1420 kg	Model: C40 Plus CROSSOVER 4 door	PASSENGER AIRBAG TYPE: Passenger airbag with 1 stage inflator.	PHEV Level 3
RIM - INCH: 20 Rim Unterer Karosseriebereich in Anthrazit matt	Roadmap/Händlerverzeichnis VEHICLE TYPE: V317 C40	TRAIN WEIGHT - C2: 4000 kg	TYRE - INCH: 20 Tyre

Fahrzeugbeschreibung

* Getriebe: Automatik

* Umwelt: Abgasnorm 0, Energieeffizienzklasse A

* Weiteres: * **HIGHLIGHTS & PAKETE**, Regensensor, Sitzheizung vorn, **ASSISTENZSYSTEME**, Adaptive Geschwindigkeitsregelanlage, Einparkhilfe vorn und hinten, Rückfahrkamera, ESC-Fahrdynamikregelung, **MOTOR GETRIEBE & FAHRWERK**, Wärmepumpe, Geschwindigkeitsabhängige Servolenkung, **AUDIO & KOMMUNIKATION**, Apple CarPlay, Bluetooth-Freisprecheinrichtung inkl. Audiostreaming, Digitaler Radioempfang (DAB+), Volvo On Call, **INTERIEUR**, Innen- und Aussenspiegel mit Abblendautomatik, Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz, Lenkradheizung, Multifunktionstasten am Lenkrad, Seiten- und Heckfenster abgedunkelt (ab B-Säule), Colorverglasung, **TECHNIK & SICHERHEIT**, Acoustic Vehicle Alerting System (AVAS), Alarmanlage, Knieairbag Fahrerseite, Kopf-/Schulterairbags (IC) für alle Insassen, Seitenairbags für Fahrer und Beifahrer, **EXTERIEUR**, Heckklappenautomatik (elektrisch), **Weitere Merkmale**, 1-SPEED RWD, 12.3-Fahrerdisplay (31.2-cm-Diagonale), 2 USB-C-Anschlüsse, 20-5-Speichen Sport-Design Diamantschnitt/Hochglanzschwarz, 5-V-Steckdose (2 USB) im hinteren Teil der Tunnelkonsole, 9-Touchscreen (22.9-cm-Diagonale), AC COMPRESSORS: Electric AC, ACTIVE GRILLSHUTTER: Active Grillshutter, ADAPTIVE LOAD LIMITER FRONT: Adaptive Load Limiter Front Driver, ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car, ADM TRIMLEVEL: Administrative for R-Design vehicle, ADM. FAMILY AFTERMARKET: Old POT drive unit, ADM. FAMILY AFTERMARKET: Service solution, ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function, APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor, ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL), AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled, AUDIO LEVEL: AUDIO high, AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed always ON - disabled in menu, Abfalleimer in Mittelkonsole integriert, Airbag für die Beifahrerseite (vorn) abschaltbar, Alkohol-Wegfahrsperre Vorbereitung, Aluminiumladekantenschutz im Gepäckraum, Ambientebeleuchtung (erweiterte Innenbeleuchtung), Anhängerbeleuchtungsprüfung, Ausklappbarer (Taschen-)Haken am Handschuhfach, Aussenspiegel elektrisch einklappbar, Aussenspiegelabdeckungen in Wagenfarbe, Automatische Verriegelung der Türen (deaktivierbar), BASE COLOUR INTERIOR: Charcoal base colour interior, BRAKE PADS: Standard pad, BUMPER FRONT: Front bumper with holes for number plate holder, BYPASS VALVE HVAC: With bypass valve, Beheiztes Volvo Logo im Frontgrill, Beifahrersitz höhen- und längenverstellbar, Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA), Blinkleuchten (LED) in Aussenspiegeln integriert, CABLE HARNESS ENGINE: Extra variant, CABLE HARNESS TAILGATE: Extra variant, CABLEHARNESS DOOR DRIVER SIDE: Extra variant, CABLEHARNESS DOOR PASS SIDE: Extra variant, CABLEHARNESS DOOR: Extra variant, CABLEHARNESS ROOF: Extra variant, CABLEHARNESS TUNNEL: Extra variant, CAR/STEERING/SEAT2: Extra variant, CAR/STEERING/SEAT3: Extra variant, CAR/STEERING: Extra Variant, CARE (3 Jahre) - beinhaltet Service - Wartung - Verschleiss, CATALYST TYPE: Catalyst missing, CEM: High spec CEM, CHARCOAL/CONNECT/CHARCOAL, CHILD SEAT ATTCHM - label rear: Isofix label - B, COLOUR HEADLINING OVER BELT: Black colour on headlining/ceiling, COLOUR MATCHING - EXTERIOR: Colour matching - exterior, COLOURSINT/EXT: Onyx Black, COMMON 27: V316/K316/V317, COMMON MATERIAL: Common material - all type 27 cars, CONNECTIVITY: With Connectivity, CSB - IF CONNECTIVITY: Connected Service Booking, CUSHION EXTENSION - PASSENGER: Cushion extension mechanical - passenger, Connect Textil/Microtech (Ledernachbildung), D-PILLAR TRIM: Standard - Car color, DAB RADIO RECEIVER: With DAB, DIAGNOSIS SYSTEM: EOBd, DOORS: 4 door, Dachhimmel in Anthrazit, Dekoreinlagen in Anthrazit, Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo, Digitales Benutzerhandbuch, EH - BEV, EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4, EMISSION VERSION 2: Emission missing, END STOP LENGTH: Length 2, ENGINE COOLING FAN PERFORMANCE: Fan medium performance, ENGINE DENOMINATION: Engine P8, ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine, ERR SEAT BELTS: With Electrical Reversible Retractors, ESM CALIBRATION: With ESM calibration C, EXPANDING ABSORBER FRONT: Absorber Firewall type A, EXTERIOR CODE: Onyx Black, EXTERIOR LIGHT LOGIC: DDRL not together with position light, EXTERIOR LIGHTS SIGNATURE: Exterior Lights Signature Illumination Pattern F, EXTERIOR PAINTTYPE: Metallic, Einstiegsleisten aus Aluminium mit Recharge Schriftzug, Einstufiges Shift-by-Wire-Getriebe, Electric Engine: P8 EP 252, Erste-Hilfe-Set, Erweitertes Luftreinigungssystem mit Feinstaubfilterung, Escalated Emergency Stop: EES Level 1, FENDER SEALING: Fender sealing, FOOT MOVEMENT DETECTION MODULE: Foot movement detection module - Gen 2, FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ, FREQUENCY BAND & STEP RADIO: Frequency band and step for EU, FRONT ANTI-ROLL BAR: Front Anti-Roll Bar 1, FRONT AXLE WEIGHT - only CC: Front Axle Weight, FRONT FENDER INSULATION: Front Fender Insulation, FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant, FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant, FRONT SEATS - LH: Extra variant, FRONT SEATS - RH: Extra variant, FRONT SHOCK ABSORBER: Front shock absorber 3 BEV, FRONT SPRINGS-(weight): Extra variant, Fahrersitz höhen- und längenverstellbar, Faltbarer Laderaumboden mit Ladegutteilung und Befestigungssystem für Einkaufstaschen, Fensterumrandung in Hochglanzschwarz, Feste Rücksitzkopfstützen, Fully Electric Frontgrill und Grilleinfassung in Wagenfarbe, GEARBOXTYPE: Automatic gearbox, GEARSHIFT INDICATOR: Gearshift indicator, GERMAN FOR INSTRUMENT/RADIO, GROSS WEIGHT - C1: 2500 kg, Geformter Schalthebel, Getriebetunnelabdeckung in glänzendem Schwarz, Gurtwarner für alle Sitze, HEADLIGHTSSYMMETRY: R asymmetric, HEADRESTS FRONT: Headsrests Front - Fixed, HORN: Horn - std., Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen, High Performance Sound, Hill Descent Control

(HDC) - Bergabfahrassistent, Hill Start Assist (HSA) - Berganfahrassistent, Hintergrundbeleuchtete Einlage Topography, I-SIZE AND CUSHEX COMBINATIONS: With I-Size - With CusheX, INFOTAINMENT HEAD UNIT: Extra variant, INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE, INSULATION CARPETS: High spec NVH-carpets with Netpocket, INTERIOR CODE: Charcoal interior/Connect Vinyl/Charcoal seat/Comfort, INTERIOR LIGHT INTENSITY: Extra variant, IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass, ISOFIX-Aufnahmen für den Beifahrersitz, ISOFIX-Aufnahmen für die äusseren Fondsitze, Induktives Smartphone-Ladesystem, Intelligenter Geschwindigkeitsassistent (ISA), Keyless Drive mit sensorgesteuerter Heckklappe, Kindersicherung hintere Tür elektrisch, Kleine Ablage - vorn, Klimaautomatik mit 2-Zonen-Temperaturregelung, LANGUAGE REGION: Language Region for Europe, LED-Scheinwerfer Thors Hammer, LEVELLING SENSOR CONFIGURATION: VDDM - Front Left - Rear Left, Ladekabel Typ 2/Typ 2 (Mode 3) - 6 m Länge - 3-phasig - 16A, Lane Keeping Aid und Lane Departure Warning, MAIN MARKET: Europe and Overseas markets, MARKET CODE: Market variant - not for part steering, MARKET PLATES/LABELS: Decals for outside Turkey, MARKET PLATES/LABELS: Decals outside Arabia, MARKET PLATES/LABELS: Decals outside Brazil, MARKET PLATES/LABELS: Decals outside China, MARKET PLATES/LABELS: Decals outside India, MARKET PLATES/LABELS: Decals outside Japan, MARKET PLATES/LABELS: Decals outside Japan/China, MARKET PLATES/LABELS: Decals outside Japan/China/Korea, MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia, MARKET PLATES/LABELS: Decals outside Russia, MARKET PLATES/LABELS: Labels for Europe, MARKET PLATES/LABELS: Labels for MID EU, MARKET PLATES/LABELS: Labels for outside Korea, MARKET PLATES/LABELS: Labels outside Australia, MARKET PLATES/LABELS: Labels outside Australia/APAC Import/Thailand, MARKET PLATES/LABELS: Labels outside Canada, MARKET PLATES/LABELS: Labels outside China and Arabia, MARKET PLATES/LABELS: Labels outside USA, MARKET PLATES/LABELS: Labels outside USA/CANADA, MAX FRONT AXLE WEIGHT - C3: 1180 kg, MAX REAR AXLE WEIGHT - C4: 1420 kg, MAXIMUM LOAD: Not applicable variant, MFI FUEL FILLER: MisFueling Inhibitor, Mittelarmlehne hinten inkl. Getränkehalter und Ablage, Model: C40 Plus CROSSOVER 4 door, NETWORK CONNECTIVITY MODE: TCAM in normal mode, Notfall-Bremsleuchten, ONYX BLACK / Metallic, OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked, OUTER REAR VIEW MIRRORS: Outer rear view mirror package, PANIC FUNCTION: Panic function with light & sound, PASSENGER AIRBAG TYPE: Passenger airbag with 1 stage inflator., PEDAL ARRANGEMENT: Pedal standard, PHEV Level 3, PINCH PROTECTION LEVEL: Standard pinch protection, PLATES/DECALS: Labels for MFK19, POST IMPACT BRAKING: Post Impact Braking, PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL, PRODUCT LABEL: Country of Origin, Panorama-Glasdach - feststehend, Pilot Assist, RADARTYPE: With ARGUS, REAR AXLE CABLE HARNESS: Extra variant, REAR AXLE WEIGHT - only CC: Rear Axle Weight, REAR SHOCK ABSORBER: Rear shock absorber 3 BEV, REAR SPRINGS-(weight): Extra variant, REAR VIEW MIRROR LH SIDE: LH side rear view mirror - wide angle, REFRIGERANT AGENT QUANTITY: Refrigerating agent 1000g, REFRIGERANT: 1234YF, REGION IF DVD: DVD region 2, REMOTE MONITORING SYSTEM: RMS deactivated, RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle, RIM - INCH: 20 Rim, Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h), Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung), Road Sign Information - Verkehrszeichenerkennung, Roadmap/Händlerverzeichnis, Rücksitze im Verhältnis 40/60 oder komplett umlegbar, SAFETY BELT: Safety Belt - type B, SALES VERSION - ADMINISTRATIVE: Ordinary SV, SCREEN THEMES/SKINS: Screen Skins Standard 1, SEAT COLOUR INTERIOR: Charcoal upholstery colour interior, SERVICE ENGINE TIME: Service Engine Time - 1300 hour, SERVICE SOLUTION: Service solution, SERVICE TIME: Service time - 24 months., SHIFT BY WIRE: With Shift By Wire, SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle, SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation, SRS CALIBRATION: SRS Calibration 1, STAGGERED WHEEL: Staggered wheels, STEER. COLUMN LOCK/KEY WARNING: With steering column lock - Key warning disabled, STEERING COLUMN: Steering column type B manual adj., STEERING WHEEL POSITION: Left Hand Drive, STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification, STOP/START: Stop/Start, SUNVISOR DECAL: Sunvisor decal, SW MAJOR VERSION: SW Major default, SW MINOR VERSION: SW Minor default, SW PATCH VERSION: SW Patch default, Schutzkappen, Sport-Lenkrad, Sport-Textiltfußmatten - Anthrazit, Sprachfunktion, Standheizung mit Timer (elektrischbetrieben), TELEPHONE NETWORK: Telephone system GSM, TOTAL WEIGHT CHECK: Carweight is OK, TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu, TRAIN WEIGHT - C2: 4000 kg, TUNER: With DAB tuner - with FM tuner (for DAB), TYRE - INCH: 20 Tyre, TYRE CIRCUMFERENCE: Rolling circumference 2185mm, TYRE DIMENSION FOR LABELS: NONE, TYRE PRESSURE HHLF: High speed - heavy load - front - 280 kPa, TYRE PRESSURE HHLR: High speed - heavy load - rear - 280 kPa, TYRE PRESSURE HLLF: High speed - light load - front - 280 kPa, TYRE PRESSURE HLLR: High speed - light load - rear - 280 kPa, TYRE PRESSURE LHLF: Low speed - heavy load - front - 280 kPa, TYRE PRESSURE LHLR: Low speed - heavy load - rear - 280 kPa, TYRE PRESSURE LLLF: Low speed - light load - front - 280 kPa, TYRE PRESSURE LLLR: Low speed - light load - rear - 280 kPa, TYRE PRESSURE SPARE WHEEL: - The sign - to be printed., UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:Liter/KM, UPHOLSTERY TYPE: Production upholstery, USER EXCEPTIONS: Not for Luqiao, USER EXCEPTIONS: Not for Malaysia, USER EXCEPTIONS: Only for Volvo Cars Gent, USER PACKAGES: User package, Unterer Karosseriebereich in Anthrazit matt, VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System, VEHICLE INSPECTION NUMBER: YV1, VEHICLE TYPE: V317 C40, VERSION DIVIDER FOR VIN: Emissionlevel R, VIBR. DAMPER STEERING WHEEL: Vibration damper - version 4, VIDEO ALLOWED: Speed dependent, VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION), VIN POS 4 or 7: VIN-code position 4, VIN POS 5 or 8: VIN-code position 5, VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON, Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App (optional) oder Menü, Vorderer Laderaum, WINDSCREEN WIPER: Wet arms - not heated, WORKSHOP WIFI: With workshop wifi, WVTA-NUMBER: e92007/463146, YEAR DESIGNATION LETTER: Year des R = model year 2024, Zentralverriegelung mit elektrischer Entriegelung, Zentralverriegelung mit zwei Funkfernbedienungen

***Informationen zum Energieverbrauch**

Die angegebenen (kombinierten) Werte wurden nach den vorgeschriebenen Messverfahren (VO(EG)715/2007 in der gegenwärtig geltenden Fassung) ermittelt. Die Angaben beziehen sich nicht auf ein einzelnes Fahrzeug und sind nicht Bestandteil des Angebots, sondern dienen allein Vergleichszwecken zwischen den verschiedenen Fahrzeugtypen. Der Kraftstoffverbrauch und die CO₂-Emissionen eines Fahrzeugs hängen nicht nur von der effizienten Ausnutzung des Kraftstoffs durch das Fahrzeug ab, sondern werden auch vom Fahrverhalten und anderen nichttechnischen Faktoren beeinflusst. Hinweis nach Richtlinie 1999/94/EG. Weitere Informationen zum offiziellen Kraftstoffverbrauch und den offiziellen spezifischen CO₂-Emissionen neuer Personenkraftwagen können dem "Leitfaden über den Kraftstoffverbrauch und die CO₂-Emissionen neuer Personenkraftwagen" entnommen werden, der an allen Verkaufsstellen und bei der "Deutschen Automobil Treuhand GmbH" unter www.dat.de unentgeltlich erhältlich ist.