


€ 56.680,00  
(MwSt. ausweisbar)

## Volvo XC 40

### XC40 Plus Recharge Pure Electric



**NEU!**

**MOLL GRUPPE**  
AUTO PERFORMANCE

**V O L V O**

**moll.de**

Gelaendewagen/Pickup  
EZ: 12/2024  
Elektro

Gebrauchtwagen  
1.500km  
185 kW (251 PS)  
Automatik

**Verbrauchangaben:**  
komb. 0,0 l/100km\*  
**CO<sub>2</sub> Emissionen**  
komb. 0,0 g/km\*  
Schadstoffklasse Euro6

**A**

**A**

**B**

**C**

**D**

**E**

**F**

**G**

## Standort

**Autohaus Adelbert Moll GmbH & Co. KG**  
Schiesstrasse 40, 40549 Düsseldorf  
Tel: 0211 95985717

## Ausstattung

Scheckheftgepflegt  
Tempomat  
Seitenairbag  
Rueckfahrkamera  
Berganfahrhilfe  
Notrufsystem  
Colorscheibe  
Isofix

Klimaautomatik  
Zentralverriegelung  
Wegfahrsperre  
StartStop  
Fahrersitz hoeohenverstellbar  
Parksensor  
ABS  
Lenkrad mit Multifunktion

elektr. Fensterheber  
Airbag  
Soundsystem  
Accoustic Sound System  
Lordosenstuetze  
Radio MP3 faehig  
Airbag vorne  
Muedigkeitswarner

Servolenkung  
Kopfairbag  
Bluetooth  
Android Auto  
Musikstreaming  
Reifendruckkontrolle  
Aussenspiegel elektrisch  
Rueckbank getrennt  
umlegbar  
Nichtraucher  
Bluetooth Freisprechanlage  
Scheckheftgepflegt

Alarmanlage  
Radio  
Mittelarmlehne

Bordcomputer  
Apple CarPlay  
Notbremsassistent

Innenspiegel abblendbar  
ESP  
Regensensor

Sitzheizung USB Colorverglasung Ganzjahresreifen Induktionsladen Smartphone	Touchscreen Sitzheizung Dachreling Bremsbelaganzeige Waschwasserstand	Sprachsteuerung Leichtmetallfelgen Nebelscheinwerfer iPad/iPod-anchluss Digitaler Radioempfang (DAB+)	Traktionskontrolle PDC Rückfahrkamera Standheizung Wärmepumpe
Lenkradheizung Dachhimmel in Anthrazit Pilot Assist	Sitzheizung vorn Geschwindigkeitsabhängige Servolenkung ESC-Fahrdynamikregelung	Knieairbag Fahrerseite Heckklappenautomatik (elektrisch) Aussenspiegel elektrisch einklappbar Bluetooth-Freisprecheinrichtung inkl. Audiostreaming	Einparkhilfe vorn und hinten Kindersicherung für die hinteren Türen (elektrisch) Innen- und Aussenspiegel mit Abblendautomatik Speech function
Multifunktionstasten am Lenkrad	Seiten- und Heckfenster abgedunkelt (ab B-Säule)	Seitenairbags für Fahrer und Beifahrer Fahrersitz höhen- und längenverstellbar inkl. Neigungseinstellung Sport-Aussenspiegel in Hochglanzschwarz Sport-Lenkrad	Inclination sensor for Alarm Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz Front Brake discs 18 CarPlay
Blinkleuchten (LED) in Aussenspiegeln integriert Ausklappbarer (Taschen-)Haken am Handschuhfach	Kopf-/Schulterairbags (IC) für alle Insassen Beifahrersitz höhen- und längenverstellbar	Xenon-Licht Uhr- und Drehzahlmesser	elektr. Heckklappe Spiegel mit Abblendautomatik Road Sign Information - Verkehrszeichenerkennung
Rücksitze im Verhältnis 40/60 oder komplett umlegbar Recharge Emblem auf der C-Säule Klimaautomatik Privacy Verglasung	Standard springs Seitenfensterzierleiste in Hochglanzschwarz (unten) Waermeschutzverglasung Lichtsensoren	Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung) Abfalleimer in Mittelkonsole integriert	Dachreling in Hochglanzschwarz (integriert)
Airbag für die Beifahrerseite (vorn) abschaltbar	ISOFIX-Aufnahmen für die äusseren Fondsitze	Hill Start Assist (HSA) - Berganfahrasistent	Induktives Smartphone-Ladesystem
Mittelarmlehne hinten mit zwei integrierten Getränkehaltern Einstiegsleisten aus Aluminium mit Recharge Schriftzug vorn Klimaautomatik mit 2-Zonen-Temperaturregelung Keyless Drive mit sensorgesteuerter Heckklappe	LED-Scheinwerfer Thors Hammer Hill Descent Control (HDC) - Bergabfahrasistent Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h) Driver Assistance	With Exterior Sound Unit + speaker COLOUR HEADLINING OVER BELT: Black colour on headlining/ceiling Automatische Verriegelung der Türen (deaktivierbar) STEERING COLUMN: Steering column type B manual adj.	High Performance Sound Hochvolt-Kühlmittelheizung (HVCH)
ISOFIX-Aufnahmen für den Beifahrersitz Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen Faltbarer Laderaumboden mit Befestigungssystem für Tragetaschen im Gepäckraum Einstufiges Shift-by-Wire-Getriebe	DAB RADIO RECEIVER: With DAB TRailer Module Preparation EXTERIOR LIGHT LOGIC: DDRL not together with position light Erste-Hilfe-Set	Erweitertes Luftreinigungssystem mit Feinstaubfilterung Intelligenter Geschwindigkeitsassistent (ISA)	CHARCOAL/TEXTILE/CITY CANVAS Zentralverriegelung mit zwei Funkfernbedienungen 1-SPEED RWD SUV
12.3-Fahrerdisplay (31.2-cm-Diagonale)	9-Touchscreen (22.9-cm-Diagonale)	ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor BRAKE PADS: Standard pad	ADM TRIMLEVEL: Administrative for R-Design vehicle ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL) BYPASS VALVE HVAC: With bypass valve
ADM. FAMILY AFTERMARKET: Service solution	ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function		
AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled Blind Spot Information	BASE COLOUR INTERIOR: Charcoal base colour interior CABLE HARNESS ENGINE:	CABLEHARNESS DOOR: Extra	CABLEHARNESS ROOF: Extra

System (BLIS) und Cross Traffic Alert (CTA)	Extra variant	variant	variant
CABLEHARNESS TUNNEL: Extra variant	CAR/STEERING/SEAT2: Extra Variant	CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B	COLOUR MATCHING - EXTERIOR: Colour matching - exterior
CONNECTIVITY: With Connectivity	CSB - IF CONNECTIVITY: Connected Service Booking	DIAGNOSIS SYSTEM: EOBD	Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo
Digitales Benutzerhandbuch	EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4	END STOP LENGTH: Length 2	ENGINE COOLING FAN PERFORMANCE: Fan medium performance
ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine	ERR SEAT BELTS: With Electrical Reversible Retractors	EXTERIOR PAINTTYPE: Metallic	Escalated Emergency Stop: EES Level 1
FENDER SEALING: Fender sealing	FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ	FREQUENCY BAND & STEPRADIO: Frequency band and step for EU	FRONT AXLE WEIGHT - only CC: Front Axle Weight
FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant	FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant	FRONT SEATS - LH: Extra variant	FRONT SEATS - RH: Extra variant
FRONT SPRINGS-(weight): Extra variant	GEARBOXTYPE: Automatic gearbox	GEARSHIFT INDICATOR: Gearshift indicator	GERMAN FOR INSTRUMENT/RADIO INSTRUMENT CLUSTER
HEADLIGHTSSYMMETRY: R asymmetric	HORN: Horn - std.	INFOTAINMENT HEAD UNIT: Extra variant	CALIBR.: Parameter file for EUROPE
IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass	LANGUAGE REGION: Language Region for Europe	MAIN MARKET: Europe and Overseas markets	MARKET CODE: Market variant - not for part steering
MARKET PLATES/LABELS: Decals for outside Turkey	MARKET PLATES/LABELS: Decals outside Arabia	MARKET PLATES/LABELS: Decals outside Brazil	MARKET PLATES/LABELS: Decals outside China
MARKET PLATES/LABELS: Decals outside India	MARKET PLATES/LABELS: Decals outside Japan	MARKET PLATES/LABELS: Decals outside Japan/China	MARKET PLATES/LABELS: Decals outside Japan/China/Korea
MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia	MARKET PLATES/LABELS: Decals outside Russia	MARKET PLATES/LABELS: Labels for Europe	MARKET PLATES/LABELS: Labels for MID EU
MARKET PLATES/LABELS: Labels outside Australia	MARKET PLATES/LABELS: Labels outside Canada	MARKET PLATES/LABELS: Labels outside China and Arabia	MARKET PLATES/LABELS: Labels outside USA
MARKET PLATES/LABELS: Labels outside USA/CANADA	MAXIMUM LOAD: Not applicable variant	MFI FUEL FILLER: MisFueling Inhibitor	NETWORK CONNECTIVITY MODE: TCAM in normal mode
Nebelscheinwerfer hinten	Notfall-Bremsleuchten	OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked	OUTER REAR VIEW MIRRORS: Outer rear view mirror package
PANIC FUNCTION: Panic function with light & sound	PINCH PROTECTION LEVEL: Standard pinch protection	PLATES/DECALS: Labels for MFK19	POST IMPACT BRAKING: Post Impact Braking
PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL	PRODUCT LABEL: Country of Origin	RADARTYPE: With ARGUS	REAR AXLE CABLE HARNESS: Extra variant
REAR AXLE WEIGHT - only CC: Rear Axle Weight	REAR SPRINGS-(weight): Extra variant	REAR WIEW MIRRORLH SIDE: LH side rear view mirror - wide angle	REFRIGERANT: 1234YF
REGION IF DVD: DVD region 2	REMOTE MONITORING SYSTEM: RMS deactivated	RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle	RIM - INCH: 19 Rim
SAFETY BELT: Safety Belt - type B	SCREEN THEMES/SKINS: Screen Skins Standard 1	SEAT COLOUR INTERIOR: Charcoal upholstery colour interior	SERVICE SOLUTION: Service solution
SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle	SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation	SRS CALIBRATION: SRS Calibration 1	STEERING WHEEL POSITION: Left Hand Drive
STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification	STOP/START: Stop/Start	SUNVISOR DECAL: Sunvisor decal	SW MAJOR VERSION: SW Major default

SW MINOR VERSION: SW Minor default	SW PATCH VERSION: SW Patch default	Schutzklappen	TELEPHONE NETWORK: Telephone system GSM
TOTAL WEIGHT CHECK: Carweight is OK	TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu	TYRE - INCH: 19 Tyre	TYRE DIMENSION FOR LABELS: NONE
TYRE PRESSURE SPARE WHEEL: - The sign - to be printed.	UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:liter/KM	UPHOLSTERY TYPE: Production upholstery	USER EXCEPTIONS: Not for Malaysia
USER PACKAGES: User package	VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System	VIDEO ALLOWED: Speed dependent	VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION)
VIN POS 4 or 7: VIN-code position 4	VIN POS 5 or 8: VIN-code position 5	VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON	WORKSHOP WIFI: With workshop wifi
YEAR DESIGNATION LETTER: Year des R = model year 2024	2 USB Typ-C Connectors - Front	5 volt outlet (2 USB) - in rear/lower tunnel consol	ACTIVE GRILLSHUTTER: Active Grillshutter
ADM. FAMILY AFTERMARKET: Old POT drive unit	AUDIO LEVEL: AUDIO high	AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed always ON - disabled in number plate holder menu	BUMPER FRONT: Front
Belt minder all seats - EU logic	CABLE HARNESS TAILGATE: Extra variant	CABLEHARNESS DOOR DRIVER SIDE: Extra variant	CABLEHARNESS DOOR PASS SIDE: Extra variant
CAR/STEERING/GEARBOX: Extra Variant	CAR/STEERING/SEAT3: Extra variant	CAR/STEERING: Extra Variant	CEM: High spec CEM
COMMON 27: V316/K316/V317	COMMON MATERIAL: Common material - all type 27 cars	CUSHION EXTENSION - PASSENGER: Cushion extension mechanical - passenger	DOORS: 5 door
Dekoreinlagen in Anthrazit	EXPANDING ABSORBER FRONT: Absorber Firewall type A	FOOT MOVEMENT DETECTION MODULE: Foot movement detection module - Gen 2	FRONT FENDER INSULATION: Front Fender Insulation
Geformter Schalthebel	Getriebetunnelabdeckung in glänzendem Schwarz	Glossy black Skid Plates - Front & Rear. MY23 Glossy only rear.	HEADRESTS FRONT: Headsrests Front - Fixed
INSULATION CARPETS: High spec NVH-carpets with Netpocket	INTERIOR LIGHT INTENSITY: Extra variant	Kleine Ablage - vorn	LEVELLING SENSOR CONFIGURATION: VDDM - Front Left - Rear Left
Lane Keeping Aid and Lane Departure Warning default on	MARKET PLATES/LABELS: Labels for outside Korea	MARKET PLATES/LABELS: Labels outside Australia/APAC Import/Thailand	PASSENGER AIRBAG TYPE: Pass. airbag with 1 stage inflator and adaptive vent. Pass. seat with seat track sensor
PEDAL ARRANGEMENT: Pedal standard	ROAD MAP/DEALER DIRECTORY FOR GERMANY	SALES VERSION - ADMINISTRATIVE: Ordinary SV	SCUFF PLATE BOOT: Rear scuff plate - plastic
SEAT TRACK SENSORS: With Seat Track Sensor Passenger Seat	SHIFT BY WIRE: With Shift By Wire	TUNER: With DAB tuner - with FM tuner (for DAB)	USER EXCEPTIONS: Not for Luqiao
USER EXCEPTIONS: Only for Volvo Cars Gent	VEHICLE INSPECTION NUMBER: YV1	VEHICLE TYPE: V316 XC40	VIBR. DAMPER STEERING WHEEL: Vibration damper - version 4
Volvo Cars App - inklusive 4- Jahres-Abo	Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App (optional) oder Menü	WINDSCREEN WIPER: Wet arms - not heated	WVTA-NUMBER: e92007/463146
With alco lock prep gen 2	19-5-Speichen Aero-Design Diamantschnitt/Hochglanzsch warz hinten	19-5-Speichen Aero-Design Diamantschnitt/Hochglanzsch warz vorne	235/50R19
255/45R19 (620D Rear)	AC COMPRESSORS: Electric	ADAPTIVE LOAD LIMITER	BEV L3

	AC	FRONT: Adaptive Load Limiter Front Driver	
Battery H6 AGM 70Ah 760 CCA	Battery electric vehicle	CARE (3 Jahre) - beinhaltet Service - Wartung - Verschleiss	CATALYST TYPE: Catalyst missing
COLOURSINT/EXT: Vapour Grey ESM CALIBRATION: With ESM calibration C	Connector - EU type+ quickcharge EXTERIOR CODE: Vapour Grey	EMISSION VERSION 2: Emission missing EXTERIOR LIGHTS SIGNATURE: Exterior Lights Signature Illumination Pattern H	ENGINE DENOMINATION: Engine P8 Einlage Origin
Electric Engine: P8 EP 252	Emblem RECHARGE	FRONT ANTI-ROLL BAR: Front Anti-Roll Bar 1	FRONT SHOCK ABSORBER: Front shock absorber 3 BEV
Feste Rücksitzkopfstützen	Frunk	GROSS WEIGHT - C1: 2520 kg	HV Li-Ion 404V 202Ah 82kWh 27 Modules 1P4S
I-SIZE AND CUSHEX COMBINATIONS: With I-Size - With Cushex Ladekabel Typ 2/Typ 2 (Mode 3) - 6 m Länge - 3-phasig - 16A Premium Textil Polsterung	INTERIOR CODE: Charcoal interior/Textile/Charcoal seat/Comfort MAX FRONT AXLE WEIGHT - C3: 1180 kg	Innenraumbelichtung (erweitert)	Interior motion sensor for alarm
Rear Wheel Drive	REAR SHOCK ABSORBER: Rear shock absorber 3 BEV Rear brake 18 inch	MAX REAR AXLE WEIGHT - C4: 1430 kg REFRIGERANT AGENT QUANTITY: Refrigerating agent 1000g Recharge Pure Electric Frontgrill in Wagenfarbe	Model: XC40 Plus SUV 5 door Rear Electric Propulsion motor (245PS) SECONDARY EXTERIOR CODE: Contrasting colour roof 019 Black stone - Extra Variant
SERVICE ENGINE TIME: Service Engine Time - 1300 hour	SERVICE TIME: Service time - 24 months.	STAGGERED WHEEL: Staggered wheels	STEER. COLUMN LOCK/KEY WARNING: With steering column lock - Key warning disabled
Single Motor Extended Range	TRAIN WEIGHT - C2: 4020 kg	TYRE CIRCUMFERENCE: Rolling circumference 2185mm	TYRE PRESSURE HHLF: High speed - heavy load - front - 280 kPa
TYRE PRESSURE HHLR: High speed - heavy load - rear - 280 kPa TYRE PRESSURE LHLR: Low speed - heavy load - rear - 280 kPa VERSION DIVIDER FOR VIN: Emissionlevel R	TYRE PRESSURE HLLF: High speed - light load - front - 280 kPa TYRE PRESSURE LLLF: Low speed - light load - front - 280 kPa Volume 0 Litre (No fuel tank)	TYRE PRESSURE HLLR: High speed - light load - rear - 280 kPa TYRE PRESSURE LLLR: Low speed - light load - rear - 280 kPa	TYRE PRESSURE LHLF: Low speed - heavy load - front - 280 kPa VAPOUR GREY / Metallic

# Fahrzeugbeschreibung

\* Getriebe: Automatik

\* Umwelt: Abgasnorm Euro6, Energieeffizienzklasse A

\* Weiteres: \* **HIGHLIGHTS & PAKETE**, Regensensor, Sitzheizung vorn, **ASSISTENZSYSTEME**, Einparkhilfe vorn und hinten, Rückfahrkamera, ESC-Fahrdynamikregelung, **MOTOR GETRIEBE & FAHRWERK**, Wärmepumpe, Geschwindigkeitsabhängige Servolenkung, **AUDIO & KOMMUNIKATION**, CARPLAY, Bluetooth-Freisprecheinrichtung inkl. Audiostreaming, Digitaler Radioempfang (DAB+), **INTERIEUR**, Innen- und Aussenspiegel mit Abblendautomatik, Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz, Lenkradheizung, Multifunktionstasten am Lenkrad, Seiten- und Heckfenster abgedunkelt (ab B-Säule), Colorverglasung, **TECHNIK & SICHERHEIT**, Alarmanlage, Knieairbag Fahrerseite, Kopf-/Schulterairbags (IC) für alle Insassen, Seitenairbags für Fahrer und Beifahrer, **EXTERIEUR**, Heckklappenautomatik (elektrisch), **SONSTIGE AUSSTATTUNGEN**, Ganzjahresreifen, **Weitere Merkmale**, 1-SPEED RWD, 12.3-Fahrerdisplay (31.2-cm-Diagonale), 19-5-Speichen Aero-Design Diamantschnitt/Hochglanzschwarz hinten, 19-5-Speichen Aero-Design Diamantschnitt/Hochglanzschwarz vorne, 2 USB Typ-C Connectors - Front, 235/50R19, 255/45R19 (620D Rear), 5 volt outlet (2 USB) - in rear/lower tunnel consol, 9-Touchscreen (22.9-cm-Diagonale), AC COMPRESSORS: Electric AC, ACTIVE GRILLSHUTTER: Active Grillshutter, ADAPTIVE LOAD LIMITER FRONT: Adaptive Load Limiter Front Driver, ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car, ADM TRIMLEVEL: Administrative for R-Design vehicle, ADM. FAMILY AFTERMARKET: Old POT drive unit, ADM. FAMILY AFTERMARKET: Service solution, ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function, APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor, ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL), AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled, AUDIO LEVEL: AUDIO high, AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed always ON - disabled in menu, Abfalleimer in Mittelkonsole integriert, Airbag für die Beifahrerseite (vorn) abschaltbar, Ausklappbarer (Taschen-)Haken am Handschuhfach, Aussenspiegel elektrisch einklappbar, Automatische Verriegelung der Türen (deaktivierbar), BASE COLOUR INTERIOR: Charcoal base colour interior, BEV L3, BRAKE PADS: Standard pad, BUMPER FRONT: Front bumper with holes for number plate holder, BYPASS VALVE HVAC: With bypass valve, Battery H6 AGM 70Ah 760 CCA, Battery electric vehicle, Beifahrersitz höhen- und längenverstellbar, Belt minder all seats - EU logic, Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA), Blinkleuchten (LED) in Aussenspiegeln integriert, CABLE HARNESS ENGINE: Extra variant, CABLE HARNESS TAILGATE: Extra variant, CABLEHARNESS DOOR DRIVER SIDE: Extra variant, CABLEHARNESS DOOR PASS SIDE: Extra variant, CABLEHARNESS DOOR: Extra variant, CABLEHARNESS ROOF: Extra variant, CABLEHARNESS TUNNEL: Extra variant, CAR/STEERING/GEARBOX: Extra Variant, CAR/STEERING/SEAT2: Extra variant, CAR/STEERING/SEAT3: Extra variant, CAR/STEERING: Extra Variant, CARE (3 Jahre) - beinhaltet Service - Wartung - Verschleiss, CATALYST TYPE: Catalyst missing, CEM: High spec CEM, CHARCOAL/TEXTILE/CITY CANVAS, CHILD SEAT ATTCHM - label rear: Isofix label - B, COLOUR HEADLINING OVER BELT: Black colour on headlining/ceiling, COLOUR MATCHING - EXTERIOR: Colour matching - exterior, COLOURSINT/EXT: Vapour Grey, COMMON 27: V316/K316/V317, COMMON MATERIAL: Common material - all type 27 cars, CONNECTIVITY: With Connectivity, CSB - IF CONNECTIVITY: Connected Service Booking, CUSHION EXTENSION - PASSENGER: Cushion extension mechanical - passenger, Connector - EU type+ quickcharge, DAB RADIO RECEIVER: With DAB, DIAGNOSIS SYSTEM: EOBD, DOORS: 5 door, Dachhimmel in Anthrazit, Dachreling in Hochglanzschwarz (integriert), Dekoreinlagen in Anthrazit, Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo, Digitales Benutzerhandbuch, Driver Assistance, EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4, EMISSION VERSION 2: Emission missing, END STOP LENGTH: Length 2, ENGINE COOLING FAN PERFORMANCE: Fan medium performance, ENGINE DENOMINATION: Engine P8, ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine, ERR SEAT BELTS: With Electrical Reversible Retractors, ESM CALIBRATION: With ESM calibration C, EXPANDING ABSORBER FRONT: Absorber Firewall type A, EXTERIOR CODE: Vapour Grey, EXTERIOR LIGHT LOGIC: DDRL not together with position light, EXTERIOR LIGHTS SIGNATURE: Exterior Lights Signature Illumination Pattern H, EXTERIOR PAINTTYPE: Metallic, Einlage Origin, Einstiegsleisten aus Aluminium mit Recharge Schriftzug vorn, Einstufiges Shift-by-Wire-Getriebe, Electric Engine: P8 EP 252, Emblem RECHARGE, Erste-Hilfe-Set, Erweitertes Luftreinigungssystem mit Feinstaubfilterung, Escalated Emergency Stop: EES Level 1, FENDER SEALING: Fender sealing, FOOT MOVEMENT DETECTION MODULE: Foot movement detection module - Gen 2, FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ, FREQUENCY BAND & STEPRADIO: Frequency band and step for EU, FRONT ANTI-ROLL BAR: Front Anti-Roll Bar 1, FRONT AXLE WEIGHT - only CC: Front Axle Weight, FRONT FENDER INSULATION: Front Fender Insulation, FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant, FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant, FRONT SEATS - LH: Extra variant, FRONT SEATS - RH: Extra variant, FRONT SHOCK ABSORBER: Front shock absorber 3 BEV, FRONT SPRINGS-(weight): Extra variant, Fahrersitz höhen- und längenverstellbar inkl. Neigungseinstellung, Faltbarer Laderaumboden mit Befestigungssystem für Tragetaschen im Gepäckraum, Feste Rücksitzkopfstützen, Front Brake discs 18, Frunk, GEARBOXTYPE: Automatic gearbox, GEARSHIFT INDICATOR: Gearshift indicator, GERMAN FOR INSTRUMENT/RADIO, GROSS WEIGHT - C1: 2520 kg, Geformter Schalthebel, Getriebetunnelabdeckung in glänzendem Schwarz, Glossy black Skid Plates - Front & Rear. MY23 Glossy only rear., HEADLIGHTSSYMMETRY: R asymmetric, HEADRESTS FRONT: Headsrests Front - Fixed, HORN: Horn - std., HV Li-Ion 404V 202Ah 82kWh 27 Modules 1P4S, Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen, High Performance Sound, Hill Descent Control (HDC) - Bergabfahrassistent, Hill Start Assist

(HSA) - Berganfahrassistent, Hochvolt-Kühlmittelheizung (HVCH), I-SIZE AND CUSHEX COMBINATIONS: With I-Size - With Cushex, INFOTAINMENT HEAD UNIT: Extra variant, INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE, INSULATION CARPETS: High spec NVH-carpets with Netpocket, INTERIOR CODE: Charcoal interior/Textile/Charcoal seat/Comfort, INTERIOR LIGHT INTENSITY: Extra variant, IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass, ISOFIX-Aufnahmen für den Beifahrersitz, ISOFIX-Aufnahmen für die äusseren Fondsitze, Inclination sensor for Alarm, Induktives Smartphone-Ladesystem, Innenraumbelichtung (erweitert), Intelligenter Geschwindigkeitsassistent (ISA), Interior motion sensor for alarm, Keyless Drive mit sensorgesteuerter Heckklappe, Kindersicherung für die hinteren Türen (elektrisch), Kleine Ablage - vorn, Klimaautomatik mit 2-Zonen-Temperaturregelung, LANGUAGE REGION: Language Region for Europe, LED-Scheinwerfer Thors Hammer, LEVELLING SENSOR CONFIGURATION: VDDM - Front Left - Rear Left, Ladekabel Typ 2/Typ 2 (Mode 3) - 6 m Länge - 3-phasig - 16A, Lane Keeping Aid and Lane Departure Warning default on, MAIN MARKET: Europe and Overseas markets, MARKET CODE: Market variant - not for part steering, MARKET PLATES/LABELS: Decals for outside Turkey, MARKET PLATES/LABELS: Decals outside Arabia, MARKET PLATES/LABELS: Decals outside Brazil, MARKET PLATES/LABELS: Decals outside China, MARKET PLATES/LABELS: Decals outside India, MARKET PLATES/LABELS: Decals outside Japan, MARKET PLATES/LABELS: Decals outside Japan/China, MARKET PLATES/LABELS: Decals outside Japan/China/Korea, MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia, MARKET PLATES/LABELS: Decals outside Russia, MARKET PLATES/LABELS: Labels for Europe, MARKET PLATES/LABELS: Labels for MID EU, MARKET PLATES/LABELS: Labels for outside Korea, MARKET PLATES/LABELS: Labels outside Australia, MARKET PLATES/LABELS: Labels outside Australia/APAC Import/Thailand, MARKET PLATES/LABELS: Labels outside Canada, MARKET PLATES/LABELS: Labels outside China and Arabia, MARKET PLATES/LABELS: Labels outside USA, MARKET PLATES/LABELS: Labels outside USA/CANADA, MAX FRONT AXLE WEIGHT - C3: 1180 kg, MAX REAR AXLE WEIGHT - C4: 1430 kg, MAXIMUM LOAD: Not applicable variant, MFI FUEL FILLER: MisFueling Inhibitor, Mittelarmlehne hinten mit zwei integrierten Getränkehaltern, Model: XC40 Plus SUV 5 door, NETWORK CONNECTIVITY MODE: TCAM in normal mode, Nebelscheinwerfer hinten, Notfall-Bremsleuchten, OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked, OUTER REAR VIEW MIRRORS: Outer rear view mirror package, PANIC FUNCTION: Panic function with light & sound, PASSENGER AIRBAG TYPE: Pass. airbag with 1 stage inflator and adaptive vent. Pass. seat with seat track sensor, PEDAL ARRANGEMENT: Pedal standard, PINCH PROTECTION LEVEL: Standard pinch protection, PLATES/DECALS: Labels for MFK19, POST IMPACT BRAKING: Post Impact Braking, PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL, PRODUCT LABEL: Country of Origin, Pilot Assist, Premium Textil Polsterung, RADARTYPE: With ARGUS, REAR AXLE CABLE HARNESS: Extra variant, REAR AXLE WEIGHT - only CC: Rear Axle Weight, REAR SHOCK ABSORBER: Rear shock absorber 3 BEV, REAR SPRINGS-(weight): Extra variant, REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle, REFRIGERANT AGENT QUANTITY: Refrigerating agent 1000g, REFRIGERANT: 1234YF, REGION IF DVD: DVD region 2, REMOTE MONITORING SYSTEM: RMS deactivated, RETRIGG ENABLING - IF ALARM: Retrigg 1 cycle, RIM - INCH: 19 Rim, ROAD MAP/DEALER DIRECTORY FOR GERMANY, Rear Electric Propulsion motor (245PS), Rear Wheel Drive, Rear brake 18 inch, Recharge Emblem auf der C-Säule, Recharge Pure Electric Frontgrill in Wagenfarbe, Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h), Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung), Road Sign Information - Verkehrszeichenerkennung, Rücksitze im Verhältnis 40/60 oder komplett umlegbar, SAFETY BELT: Safety Belt - type B, SALES VERSION - ADMINISTRATIVE: Ordinary SV, SCREEN THEMES/SKINS: Screen Skins Standard 1, SCUFF PLATE BOOT: Rear scuff plate - plastic, SEAT COLOUR INTERIOR: Charcoal upholstery colour interior, SEAT TRACK SENSORS: With Seat Track Sensor Passenger Seat, SECONDARY EXTERIOR CODE: Contrasting colour roof 019 Black stone - Extra Variant, SERVICE ENGINE TIME: Service Engine Time - 1300 hour, SERVICE SOLUTION: Service solution, SERVICE TIME: Service time - 24 months., SHIFT BY WIRE: With Shift By Wire, SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle, SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation, SRS CALIBRATION: SRS Calibration 1, STAGGERED WHEEL: Staggered wheels, STEER. COLUMN LOCK/KEY WARNING: With steering column lock - Key warning disabled, STEERING COLUMN: Steering column type B manual adj., STEERING WHEEL POSITION: Left Hand Drive, STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification, STOP/START: Stop/Start, SUNVISOR DECAL: Sunvisor decal, SUV, SW MAJOR VERSION: SW Major default, SW MINOR VERSION: SW Minor default, SW PATCH VERSION: SW Patch default, Schutzkappen, Seitenfensterzierleiste in Hochglanzschwarz (unten), Single Motor Extended Range, Speech function, Sport-Aussenspiegel in Hochglanzschwarz, Sport-Lenkrad, Standard springs, TELEPHONE NETWORK: Telephone system GSM, TOTAL WEIGHT CHECK: Carweight is OK, TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu, TRAIN WEIGHT - C2: 4020 kg, TRailer Module Preparation, TUNER: With DAB tuner - with FM tuner (for DAB), TYRE - INCH: 19 Tyre, TYRE CIRCUMFERENCE: Rolling circumference 2185mm, TYRE DIMENSION FOR LABELS: NONE, TYRE PRESSURE HHLF: High speed - heavy load - front - 280 kPa, TYRE PRESSURE HHLR: High speed - heavy load - rear - 280 kPa, TYRE PRESSURE HLLF: High speed - light load - front - 280 kPa, TYRE PRESSURE HLLR: High speed - light load - rear - 280 kPa, TYRE PRESSURE LHLF: Low speed - heavy load - front - 280 kPa, TYRE PRESSURE LHLL: Low speed - heavy load - rear - 280 kPa, TYRE PRESSURE LLLF: Low speed - light load - front - 280 kPa, TYRE PRESSURE LLLR: Low speed - light load - rear - 280 kPa, TYRE PRESSURE SPARE WHEEL: - The sign - to be printed., UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:Liter/KM, UPHOLSTERY TYPE: Production upholstery, USER EXCEPTIONS: Not for Luqiao, USER EXCEPTIONS: Not for Malaysia, USER EXCEPTIONS: Only for Volvo Cars Gent, USER PACKAGES: User package, VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System, VAPOUR GREY / Metallic, VEHICLE INSPECTION NUMBER: YV1, VEHICLE TYPE: V316 XC40, VERSION DIVIDER FOR VIN: Emissionlevel R, VIBR. DAMPER STEERING WHEEL: Vibration damper - version 4, VIDEO ALLOWED: Speed dependent, VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION), VIN POS 4 or 7: VIN-code position 4, VIN POS 5 or 8: VIN-code position 5, VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON, Volume 0 Litre (No fuel tank), Volvo Cars App - inklusive 4-Jahres-Abo, Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App

(optional) oder Menü, WINDSCREEN WIPER: Wet arms - not heated, WORKSHOP WIFI: With workshop wifi, WVTA-NUMBER: e92007/463146, With Exterior Sound Unit + speaker, With alco lock prep gen 2, YEAR DESIGNATION LETTER: Year des R = model year 2024, Zentralverriegelung mit zwei Funkfernbedienungen

Int.KnNr: R2321767 ... Änderungen, Zwischenverkauf und Irrtümer vorbehalten.

---



**\*Informationen zum Energieverbrauch**

Die angegebenen (kombinierten) Werte wurden nach den vorgeschriebenen Messverfahren (VO(EG)715/2007 in der gegenwärtig geltenden Fassung) ermittelt. Die Angaben beziehen sich nicht auf ein einzelnes Fahrzeug und sind nicht Bestandteil des Angebots, sondern dienen allein Vergleichszwecken zwischen den verschiedenen Fahrzeugtypen. Der Kraftstoffverbrauch und die CO<sub>2</sub>-Emissionen eines Fahrzeugs hängen nicht nur von der effizienten Ausnutzung des Kraftstoffs durch das Fahrzeug ab, sondern werden auch vom Fahrverhalten und anderen nichttechnischen Faktoren beeinflusst. Hinweis nach Richtlinie 1999/94/EG. Weitere Informationen zum offiziellen Kraftstoffverbrauch und den offiziellen spezifischen CO<sub>2</sub>-Emissionen neuer Personenkraftwagen können dem "Leitfaden über den Kraftstoffverbrauch und die CO<sub>2</sub>-Emissionen neuer Personenkraftwagen" entnommen werden, der an allen Verkaufsstellen und bei der "Deutschen Automobil Treuhand GmbH" unter [www.dat.de](http://www.dat.de) unentgeltlich erhältlich ist.