

€ 68.910,00
(MwSt. ausweisbar)

Volvo S60

S60 B5 Mild-Hybrid Ultimate Dark



MOLL GRUPPE
AUTO PERFORMANCE

VOLVO

Limousine
Benzin
1969ccm

Neuwagen
10km
184 kW (250 PS)
Automatik

Verbrauchangaben:
komb. 0,0 l/100km*
CO₂ Emissionen
komb. 0,0 g/km*
Schadstoffklasse 0



Standort

Autohaus Adelbert Moll GmbH & Co. KG
Schiesstrasse 40, 40549 Düsseldorf
Tel: 0211 95985717

Ausstattung

Scheckheftgepflegt
Tempomat
Seitenairbag
elektr. Sitze
Acoustic Sound System
Notrufsystem
Scheinwerferreinigungsanlage
Isofix

Klimaautomatik
Zentralverriegelung
Wegfahrsperre
Bluetooth
Android Auto
Parksensor
ABS
Lenkrad mit Multifunktion

elektr. Fensterheber
Airbag
Abstandsregler
Panoramadach
Berganfahrhilfe
Radio MP3 faehig
Airbag vorne

Muedigkeitswarner

Abstandstempomat
Radio

Bordcomputer
Allrad

Innenspiegel abblendbar
Apple CarPlay

Servolenkung
Kopfairbag
Soundsystem
StartStop
Musikstreaming
Reifendruckkontrolle
Aussenspiegel elektrisch

Rueckbank getrennt
umlegbar
Nichtraucher
ESP

Bluetooth Freisprechanlage Scheckheftgepflegt Sprachsteuerung Schlüssellos Bremsbelaganzeige Induktionsladen Smartphone	Mittelarmlehne Sitzheizung Traktionskontrolle Leichtmetallfelgen iPad/iPod-anschluss Waschwasserstand	Notbremsassistent Sportsitze USB PDC Standheizung Digitaler Radioempfang (DAB+) Head-up Display Dachhimmel in Anthrazit	Regensensor Touchscreen Sitzheizung Nebelscheinwerfer Akustikverglasung Lenkradheizung
Sitzheizung vorn Subwoofer	Schiebedach Allradantrieb (AWD)	Memoryfunktion für Beifahrersitz Aussenspiegel elektrisch einklappbar	Volvo ON CALL Elektrisch einstellbarer Beifahrersitz Pilot Assist
Geschwindigkeitsabhängige Servolenkung Verzurrösen im Gepäckraum (klappbar)	LED-Nebelscheinwerfer (im Frontspoiler integriert) Einstiegsleisten aus Aluminium mit Volvo Schriftzug vorn	Standheizung mit Timer (kraftstoffbetrieben)	Innen- und Aussenspiegel mit Ablendautomatik
Klimaautomatik mit 4-Zonen-Temperaturregelung	Multifunktionstasten am Lenkrad	Kopf-/Schulterairbags (IC) für alle Insassen	Bluetooth-Freisprecheinrichtung inkl. Audiostreaming Seitenairbags für Fahrer und Beifahrer
Blinkleuchten (LED) in Aussenspiegeln integriert	Ambientebeleuchtung (Erweiterte Innenbeleuchtung)	Armaturentafel in Lederoptik mit Kontrastnähten Voll-LED-Scheinwerfer Thors Hammer Active High Beam elektr. Heckklappe Spiegel mit Ablendautomatik	Central lock switch with diode in front and rear doors Ambientelicht elektr. Sitzverstellung HeadUp-Display
Sitzheizung hinten (äussere Fondsitze) Kopfstützen der 2. Sitzreihe umlegbar (elektrisch) Klimaautomatik Lichtsensoren	Parkkamera mit 360 Surround View Panorama-Glasschiebedach mit Hebefunktion Waermeschutzverglasung Uhr- und Drehzahlmesser	Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung) CHARCOAL/LEABR3/CHARC/S PO	Road Sign Information - Verkehrszeichenerkennung
Airbag für die Beifahrerseite (vorn) abschaltbar	ISOFIX-Aufnahmen für die äusseren Fondsitze	Hill Start Assist (HSA) - Berganfahrassistent Fensterumrandung in Hochglanzschwarz EXTERIOR LIGHT LOGIC: DDRL not together with position light Erweitertes Luftreinigungssystem mit Feinstaubfilterung Automatikgetriebe	Elektrisch einstellbarer Fahrersitz (8-Wege) mit Memoryfunktion Induktives Smartphone-Ladesystem DAB RADIO RECEIVER: With DAB Adaptive Geschwindigkeitsregelanlage Alkohol-Wegfahrsperrung Vorbereitung
Start-Stopp-Technologie	Akustikverglasung für die Seitenfenster		
Lendenwirbelstürze (4-Wege) für Fahrer- und Beifahrersitz Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h) Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen Intelligentes Fahrer-Informationssystem (IDIS)	ONYX BLACK / Metallic 8-AUT 4WD Zentralverriegelung mit zwei Funkfernbedienungen Lederfreies Sportlenkrad		
Erste-Hilfe-Set	Intelligenter Geschwindigkeitsassistent (ISA)		12.3-Fahrerdisplay (31.2-cm-Diagonale)
19-5-Dreierspeichen Sport-Design Diamantschnitt/Graphitoptik ADAPTIVE LOAD LIMITER FRONT: Adaptive Load Limiter Front Driver & Passenger Seat	2 USB-C-Anschlüsse ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car	9-Touchscreen (22.9-cm-Diagonale) ADM POLICE/TAXI/SPECV: Administrative designation for not police cars	AC COMPRESSORS: Mechanical A (140cc) ADM TRIMLEVEL: Administrative for R-Design vehicle
ADM. FAMILY AFTERMARKET: ESM Standard ADM. FAMILY AFTERMARKET: Standard BCM2 SW	ADM. FAMILY AFTERMARKET: Original fuel tank ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function	ADM. FAMILY AFTERMARKET: SOC 100 AIR DEFLECTOR: Air deflector long	ADM. FAMILY AFTERMARKET: Service solution APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor
ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL)	AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled	AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed enabled - default ON	Aussenspiegel in Hochglanzschwarz

BASE COLOUR INTERIOR: Charcoal base colour interior Beheiztes Volvo Logo im Frontgrill	BRAKE PADS: Standard pad Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA)	BUMPER FRONT: Extra variant CABLE HARNESS ENGINE: Extra variant	BYPASS VALVE HVAC: With bypass valve CABLEHARNESS COCKPIT: Extra variant
CABLEHARNESS DOOR: Extra variant CAR/GEARBOX/DRIVELINE: V431 auto 4wd CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B	CABLEHARNESS FRONT BUMPER: Extra variant CAR/STEERING/SEAT2: Extra Variant COLOUR MATCHING - EXTERIOR: Colour matching - exterior	CABLEHARNESS ROOF: Extra variant CAR/STEERING/SEAT: Extra Variant COLOURED PROTECTION CARPETS: Charcoal carpet kit - X-variant	CABLEHARNESS TUNNEL: Extra variant CATALYST TYPE: Catalyst Petrol 6d COLOURSINT/EXT: Onyx Black
COMMON 46: V431/V432/V433	COMMON MATERIAL: Common material - all type 46 cars DIAGNOSIS SYSTEM: EOBD	CONNECTIVITY: With Connectivity DIVERGENT COLOUR HEADLINING: Standard colour on headlining/ceiling	CSB - IF CONNECTIVITY: Connected Service Booking DOORS: 4 door
CYLINDERS ENGINE PETROL/DIESEL: 4-cylinder engine Dekoreinlage Aluminium: Metal Mesh	Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo	Digitales Benutzerhandbuch	EMBLEM VOLVO: Emblem VOLVO chrome
EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4 END STOP QUANTITY - PASSENGER: Endstop passager seat - 1psc ENGINE FAMILY 4: MP/HP	EMISSION EVAPORATOR SYSTEM: Evaporator system - EU6 ENGINE COOLING FAN PERFORMANCE: Fan medium performance ENGINE GENERATION VEA2: VEA generation 3	END STOP LENGTH: Length 2 ENGINE DENOMINATION: Engine T5 ENGINE GENERATION VEA: VEP4 generation 3	END STOP QUANTITY - DRIVER SEAT: Endstop driver seat - 1psc ENGINE FAMILY 2: VEP4 Engines ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine EXTERIOR CODE: Onyx Black
ENGINE: VEP4 MP 2.0L 250/350	ENHANCED REGEN/48V KERS: With 48V KERS	ERR SEAT BELTS: With Electrical Reversible Retractors Escalated Emergency Stop: EES Level 1	FENDER SEALING: Fender sealing FRONT AXLE WEIGHT - only CC: Front Axle Weight
EXTERIOR PAINTTYPE: Metallic FOOT MOVEMENT DETECTION MODULE: Foot movement detection module Gen2 FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant FRONT SHOCK ABSORBER: Front shock absorber 3 GEARBOX/DRIVELINE: 8- speed automatic - 2WD and 4WD GROSS WEIGHT - C1: 2300 kg	Einparkhilfe - vorne - hinten und seitlich FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant FRONT SPRINGS-(weight): Extra variant GEARBOXTYPE: Automatic gearbox Gurtwarner für alle Sitze	FRONT SEATS - LH: Extra variant Fahrmodus-Glasknopf GEARSHIFT INDICATOR: Gearshift indicator HEADLIGHTSSYMMETRY: R asymmetric Hohe Bremsleuchten	FRONT SEATS - RH: Extra variant GASOLINE PARTICLE FILTER: With GPF GERMAN FOR INSTRUMENT/RADIO HEADRESTS FRONT: 2 way headsrests Front - manual INFOTAINMENT HEAD UNIT: Extra variant
HORN: Horn - std. INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE Kindersicherung für die hinteren Türen manuell LEVELLING SENSOR CONFIGURATION: VDDM - Front Right - Rear Right MARKET PLATES/LABELS: Decals for outside Turkey MARKET PLATES/LABELS: Decals outside India	High-Fidelity-Audiosystem von Bowers & Wilkins INSULATION CARPETS: High spec NVH-carpets Klappbare Haken für Tragetaschen im Gepäckraum Lane Keeping Aid und Lane Departure Warning MARKET PLATES/LABELS: Decals outside Arabia MARKET PLATES/LABELS: Decals outside Japan	INTERIOR CODE: Charcoal interior/Agnes/Charcoal seat/Sport LAMBDA SENSORS: 2 Lambda probes MAIN MARKET: Europe and Overseas markets MARKET PLATES/LABELS: Decals outside Brazil MARKET PLATES/LABELS: Decals outside Japan/China	IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass LANGUAGE REGION: Language Region for Europe MARKET CODE: Market variant - not for part steering MARKET PLATES/LABELS: Decals outside China MARKET PLATES/LABELS: Decals outside

MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia	MARKET PLATES/LABELS: Decals outside Russia	MARKET PLATES/LABELS: Labels for Europe	Japan/China/Korea MARKET PLATES/LABELS: Labels for MID EU
MARKET PLATES/LABELS: Labels outside Australia	MARKET PLATES/LABELS: Labels outside Canada	MARKET PLATES/LABELS: Labels outside China and Arabia	MARKET PLATES/LABELS: Labels outside Korea
MARKET PLATES/LABELS: Labels outside USA MAXIMUM LOAD: Not applicable variant Model: S60 III Ultimate Dark SEDAN 4 door OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked PARCEL SHELF w SUNCURTAIN: Not applictable fam 70 PLATES/DECALS: Labels for MFK19 PRIVATE LOCKING LUGGAGE COMP.: Private locking disabled RADARTYPE: With ARGUS	MARKET PLATES/LABELS: Labels outside USA/CANADA MFI FUEL FILLER: MisFueling Inhibitor NETWORK CONNECTIVITY MODE: TCAM in normal mode OUTER REAR VIEW MIRRORS: Outer rear view mirror package PARTS FOR SPECIAL PRODUCTS: Parts excluded for Special Vehicle POLESTAR ENGINEERED: Not Polestar Engineered PRODUCT LABEL: Country of Origin	MAX FRONT AXLE WEIGHT - C3: 1170 kg MODEL COMMON MATERIAL: Common material V431/V432 Nebelscheinwerfer hinten OVERHEAD CONSOLE ILLUMINATION: Overhead console lightning high version PEDESTRIAN PROTECTION POP-UP: Pedestrian Protection pop-up bonnets POST IMPACT BRAKING: Post Impact Braking PROPULSION TYPE: Combustion engine only	MAX REAR AXLE WEIGHT - C4: 1180 kg Mittelarmlehne hinten inkl. Getränkehalter und Ablage Notfall-Bremsleuchten PANIC FUNCTION: Panic function with light & sound PINCH PROTECTION LEVEL: Standard pinch protection PRE CLEANING: With Pre- Cleaning 2.1 GLOBAL Pedale
REAR SPRING SEAT: Rear Spring Seat 2	REAR AXLE CABLE HARNESS: Extra variant REAR SPRINGS-(weight): Extra variant	REAR AXLE WEIGHT - only Rear Axle Weight REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app Rücksitzlehnen umlegbar (elektrisch) SEDAN	CC:REAR SHOCK ABSORBER: Rear shock absorber 7 REFRIGERANT AGENT QUANTITY: Refrigerating agent 650g REMOTE MONITORING SYSTEM: RMS deactivated
REFRIGERANT: 1234YF	REGION IF DVD: DVD region 2	REAR AXLE WEIGHT - only Rear Axle Weight REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app Rücksitzlehnen umlegbar (elektrisch) SEDAN	REAR SHOCK ABSORBER: Rear shock absorber 7 REFRIGERANT AGENT QUANTITY: Refrigerating agent 650g REMOTE MONITORING SYSTEM: RMS deactivated
RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle SCREEN THEMES/SKINS: Screen Skins Standard 1	RIM - INCH: 19 Rim SEAT COLOUR INTERIOR: Charcoal upholstery colour interior	REAR AXLE WEIGHT - only Rear Axle Weight REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app Rücksitzlehnen umlegbar (elektrisch) SEDAN	SAFETY BELT: Safety Belt - type B SERVICE ENGINE TIME: Service Engine Time - 650 hour
SERVICE SOLUTION: Service solution	SERVICE TIME: Service time - 12 months.	SHIFT BY WIRE: With Shift By Wire 2	SIM CARD FOR CONNECTIVITY: Only through Personal SIM SPEECH LANGUAGE - NOT USED: English
SPACER LEAF SPRING: Spacer Leaf Spring 7	SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle	SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation	SPEECH LANGUAGE - NOT USED: English
SRS CALIBRATION: SRS Calibration 1	STEERING COLUMN: Steering column type C manual adj.	STEERING WHEEL POSITION: Left Hand Drive	STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification
STOP/START: Stop/Start	SUNVISOR DECAL: Sunvisor decal SW PATCH VERSION: SW Patch default	SUPPORT BATTERY: Support Battery 6 - 48V Scheuerleiste Heckklappe - Kunststoff	SW MAJOR VERSION: SW Major default Schlüsselloser Zugang mit automatischem Öffnen des Kofferraums TCM POLESTAR SW: Extra variant
SW MINOR VERSION: SW Minor default	Sport-Frontgrill in Hochglanzschwarz	Sprachfunktion	TCM POLESTAR SW: Extra variant
Schutzkappen	Sport-Frontgrill in Hochglanzschwarz	Sprachfunktion	TCM POLESTAR SW: Extra variant
TELEPHONE NETWORK: Telephone system GSM TRANSMISSION: AWD All wheel drive	TOTAL WEIGHT CHECK: Carweight is OK TRUNK RELEASE - POP UP: Remote & interior trunk release - POP UP	TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu TURBO CONFIGURATION: Medium performance	TRAIN WEIGHT - C2: 4100 kg
TYRE CIRCUMFERENCE: Rolling circumference	TYRE DIMENSION FOR LABELS: NONE	TYRE PRESSURE HHLF: High speed - heavy load - front -	TYRE - INCH: 19 Tyre TYRE PRESSURE HHLR: High speed - heavy load - rear -

2060mm		260 kPa	260 kPa
TYRE PRESSURE HLLF: High speed - light load - front - 230 kPa	TYRE PRESSURE HLLR: High speed - light load - rear - 230 kPa	TYRE PRESSURE LHLF: Low speed - heavy load - front - 260 kPa	TYRE PRESSURE LHLR: Low speed - heavy load - rear - 260 kPa
TYRE PRESSURE LLLF: Low speed - light load - front - 230 kPa	TYRE PRESSURE LLLR: Low speed - light load - rear - 230 kPa	TYRE PRESSURE SPARE WHEEL: - The sign - to be printed.	Teil-Leder/Mesh-Textil
UNDER FLOOR AERO KIT: Under Floor Aero KIT	UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:Liter/KM	UPHOLSTERY TYPE: Production upholstery	USER EXCEPTIONS: Not for Daqing
USER EXCEPTIONS: Not for Malaysia	USER EXCEPTIONS: Not for Volvo Cars Gent	USER EXCEPTIONS: Not for Volvo Cars Torslanda	USER EXCEPTIONS: Only for Volvo Cars Charleston
USER PACKAGES: User package	VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System	VEHICLE INSPECTION NUMBER: 7JR	VEHICLE TYPE: V431 S60
VEP4 MP 2.0L 250/350	VERSION DIVIDER FOR VIN: Version Divider V	VIBR. DAMPER STEERING WHEEL: Vibration damper - version 3	VIDEO ALLOWED: Speed dependent
VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION)	VIN POS 4 or 7: VIN-code position 4	VIN POS 5 or 8: VIN-code position 5	VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON
Vorlauffahrzeug	WORKSHOP WIFI: With workshop wifi	WVTA-NUMBER: e42007/461315	YEAR DESIGNATION LETTER: Year des R = model year 2024
Zentralverriegelung mit elektrischer Entriegelung			

Fahrzeugbeschreibung

* Getriebe: Automatik

* Umwelt: Abgasnorm 0, Energieeffizienzklasse F

* Weiteres: * **HIGHLIGHTS & PAKETE**, Regensensor, Sitzheizung vorn, **ASSISTENZSYSTEME**, Adaptive Geschwindigkeitsregelanlage, **MOTOR GETRIEBE & FAHRWERK**, Allradantrieb (AWD), Geschwindigkeitsabhängige Servolenkung, **AUDIO & KOMMUNIKATION**, Apple CarPlay, Head-up Display, Subwoofer, Bluetooth-Freisprecheinrichtung inkl. Audiostreaming, Digitaler Radioempfang (DAB+), Volvo On Call, **INTERIEUR**, Sportsitze, Innen- und Aussenspiegel mit Abblendautomatik, Lenkradheizung, Multifunktionstasten am Lenkrad, **LICHT & SICHT**, Scheinwerferreinigungsanlage, **TECHNIK & SICHERHEIT**, Automatikgetriebe, Kopf-/Schulterairbags (IC) für alle Insassen, Seitenairbags für Fahrer und Beifahrer, **Weitere Merkmale**, 12.3-Fahrerdisplay (31.2-cm-Diagonale), 19-5-Dreierspeichen Sport-Design Diamantschnitt/Graphitoptik, 2 USB-C-Anschlüsse, 8-AUT 4WD, 9-Touchscreen (22.9-cm-Diagonale), AC COMPRESSORS: Mechanical A (140cc), ADAPTIVE LOAD LIMITER FRONT: Adaptive Load Limiter Front Driver & Passenger Seat, ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car, ADM POLICE/TAXI/SPECV: Administrative designation for not police cars, ADM TRIMLEVEL: Administrative for R-Design vehicle, ADM. FAMILY AFTERMARKET: ESM Standard, ADM. FAMILY AFTERMARKET: Original fuel tank, ADM. FAMILY AFTERMARKET: SOC 100, ADM. FAMILY AFTERMARKET: Service solution, ADM. FAMILY AFTERMARKET: Standard BCM2 SW, ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function, AIR DEFLECTOR: Air deflector long, APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor, ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL), AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled, AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed enabled - default ON, Airbag für die Beifahrerseite (vorn) abschaltbar, Akustikverglasung für die Seitenfenster, Alkohol-Wegfahrsperr Vorbereitung, Ambientebeleuchtung (erweiterte Innenbeleuchtung), Armaturentafel in Lederoptik mit Kontrastnähten, Aussenspiegel elektrisch einklappbar, Aussenspiegel in Hochglanzschwarz, BASE COLOUR INTERIOR: Charcoal base colour interior, BRAKE PADS: Standard pad, BUMPER FRONT: Extra variant, BYPASS VALVE HVAC: With bypass valve, Beheiztes Volvo Logo im Frontgrill, Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA), Blinkleuchten (LED) in Aussenspiegeln integriert, CABLE HARNESS ENGINE: Extra variant, CABLEHARNESS COCKPIT: Extra variant, CABLEHARNESS DOOR: Extra variant, CABLEHARNESS FRONT BUMPER: Extra variant, CABLEHARNESS ROOF: Extra variant, CABLEHARNESS TUNNEL: Extra variant, CAR/GEARBOX/DRIVELINE: V431 auto 4wd, CAR/STEERING/SEAT2: Extra Variant, CAR/STEERING/SEAT: Extra Variant, CATALYST TYPE: Catalyst Petrol 6d, CHARCOAL/LEABR3/CHARC/SPO, CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B, COLOUR MATCHING - EXTERIOR: Colour matching - exterior, COLOURED PROTECTION CARPETS: Charcoal carpet kit - X-variant, COLOURSINT/EXT: Onyx Black, COMMON 46: V431/V432/V433, COMMON MATERIAL: Common material - all type 46 cars, CONNECTIVITY: With Connectivity, CSB - IF CONNECTIVITY: Connected Service Booking, CYLINDERS ENGINE PETROL/DIESEL: 4-cylinder engine, Central lock switch with diode in front and rear doors, DAB RADIO RECEIVER: With DAB, DIAGNOSIS SYSTEM: EOBD, DIVERGENT COLOUR HEADLINING: Standard colour on headlining/ceiling, DOORS: 4 door, Dachhimmel in Anthrazit, Dekoreinlage Aluminium: Metal Mesh, Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo, Digitales Benutzerhandbuch, EMBLEM VOLVO: Emblem VOLVO chrome, EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4, EMISSION EVAPORATOR SYSTEM: Evaporator system - EU6, END STOP LENGTH: Length 2, END STOP QUANTITY - DRIVER SEAT: Endstop driver seat - 1psc, END STOP QUANTITY - PASSENGER: Endstop passenger seat - 1psc, ENGINE COOLING FAN PERFORMANCE: Fan medium performance, ENGINE DENOMINATION: Engine T5, ENGINE FAMILY 2: VEP4 Engines, ENGINE FAMILY 4: MP/HP, ENGINE GENERATION VEA2: VEA generation 3, ENGINE GENERATION VEA: VEP4 generation 3, ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine, ENGINE: VEP4 MP 2.0L 250/350, ENHANCED REGEN/48V KERS: With 48V KERS, ERR SEAT BELTS: With Electrical Reversible Retractors, EXTERIOR CODE: Onyx Black, EXTERIOR LIGHT LOGIC: DDRL not together with position light, EXTERIOR PAINTTYPE: Metallic, Einparkhilfe - vorne - hinten und seitlich, Einstiegsleisten aus Aluminium mit Volvo Schriftzug vorn, Elektrisch Einstellbarer Beifahrersitz, Elektrisch einstellbarer Fahrersitz (8-Wege) mit Memoryfunktion, Erste-Hilfe-Set, Erweitertes Luftreinigungssystem mit Feinstaubfilterung, Escalated Emergency Stop: EES Level 1, FENDER SEALING: Fender sealing, FOOT MOVEMENT DETECTION MODULE: Foot movement detection module Gen2, FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ, FREQUENCY BAND & STEP/RADIO: Frequency band and step for EU, FRONT AXLE WEIGHT - only CC: Front Axle Weight, FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant, FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant, FRONT SEATS - LH: Extra variant, FRONT SEATS - RH: Extra variant, FRONT SHOCK ABSORBER: Front shock absorber 3, FRONT SPRINGS-(weight): Extra variant, Fahrmodus-Glasknopf, Fensterumrandung in Hochglanzschwarz, GASOLINE PARTICLE FILTER: With GPF, GEARBOX/DRIVELINE: 8-speed automatic - 2WD and 4WD, GEARBOXTYPE: Automatic gearbox, GEARSHIFT INDICATOR: Gearshift indicator, GERMAN FOR INSTRUMENT/RADIO, GROSS WEIGHT - C1: 2300 kg, Gurtwarner für alle Sitze, HEADLIGHTSSYMMETRY: R asymmetric, HEADRESTS FRONT: 2 way headrests Front - manual, HORN: Horn - std., Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen, High-Fidelity-Audiosystem von Bowers & Wilkins, Hill Start Assist (HSA) - Berganfahrassistent, Hohe Bremsleuchten, INFOTAINMENT HEAD UNIT: Extra variant, INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE, INSULATION CARPETS: High spec NVH-carpets, INTERIOR CODE: Charcoal interior/Agnes/Charcoal seat/Sport, IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass, ISOFIX-

Aufnahmen für die äusseren Fondsitze, Induktives Smartphone-Ladesystem, Intelligenter Geschwindigkeitsassistent (ISA), Intelligentes Fahrer-Informationssystem (IDIS), Kindersicherung für die hinteren Türen manuell, Klappbare Haken für Tragetaschen im Gepäckraum, Klimaautomatik mit 4-Zonen-Temperaturregelung, Kopfstützen der 2. Sitzreihe umlegbar (elektrisch), LAMBDA SENSORS: 2 Lambda probes, LANGUAGE REGION: Language Region for Europe, LED-Nebelscheinwerfer (im Frontspoiler integriert), LEVELLING SENSOR CONFIGURATION: VDDM - Front Right - Rear Right, Lane Keeping Aid und Lane Departure Warning, Lederfreies Sportlenkrad, Lendenwirbelstürze (4-Wege) für Fahrer- und Beifahrersitz, MAIN MARKET: Europe and Overseas markets, MARKET CODE: Market variant - not for part steering, MARKET PLATES/LABELS: Decals for outside Turkey, MARKET PLATES/LABELS: Decals outside Arabia, MARKET PLATES/LABELS: Decals outside Brazil, MARKET PLATES/LABELS: Decals outside China, MARKET PLATES/LABELS: Decals outside India, MARKET PLATES/LABELS: Decals outside Japan, MARKET PLATES/LABELS: Decals outside Japan/China, MARKET PLATES/LABELS: Decals outside Japan/China/Korea, MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia, MARKET PLATES/LABELS: Decals outside Russia, MARKET PLATES/LABELS: Labels for Europe, MARKET PLATES/LABELS: Labels for MID EU, MARKET PLATES/LABELS: Labels outside Australia, MARKET PLATES/LABELS: Labels outside Canada, MARKET PLATES/LABELS: Labels outside China and Arabia, MARKET PLATES/LABELS: Labels outside Korea, MARKET PLATES/LABELS: Labels outside USA, MARKET PLATES/LABELS: Labels outside USA/CANADA, MAX FRONT AXLE WEIGHT - C3: 1170 kg, MAX REAR AXLE WEIGHT - C4: 1180 kg, MAXIMUM LOAD: Not applicable variant, MFI FUEL FILLER: MisFueling Inhibitor, MODEL COMMON MATERIAL: Common material V431/V432, Memoryfunktion für Beifahrersitz, Mittellarmlehne hinten inkl. Getränkehalter und Ablage, Model: S60 III Ultimate Dark SEDAN 4 door, NETWORK CONNECTIVITY MODE: TCAM in normal mode, Nebelscheinwerfer hinten, Notfall-Bremsleuchten, ONYX BLACK / Metallic, OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked, OUTER REAR VIEW MIRRORS: Outer rear view mirror package, OVERHEAD CONSOLE ILLUMINATION: Overhead console lightning high version, PANIC FUNCTION: Panic function with light & sound, PARCEL SHELF w SUNCURTAIN: Not applictable fam 70, PARTS FOR SPECIAL PRODUCTS: Parts excluded for Special Vehicle, PEDESTRIAN PROTECTION POP-UP: Pedestrian Protection pop-up bonnets, PINCH PROTECTION LEVEL: Standard pinch protection, PLATES/DECALS: Labels for MFK19, POLESTAR ENGINEERED: Not Polestar Engineered, POST IMPACT BRAKING: Post Impact Braking, PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL, PRIVATE LOCKING LUGGAGE COMP.: Private locking disabled, PRODUCT LABEL: Country of Origin, PROPULSION TYPE: Combustion engine only, Panorama-Glasschiebedach mit Hebefunktion, Parkkamera mit 360 Surround View, Pedale, Pilot Assist, RADARTYPE: With ARGUS, REAR AXLE CABLE HARNESS: Extra variant, REAR AXLE WEIGHT - only CC: Rear Axle Weight, REAR SHOCK ABSORBER: Rear shock absorber 7, REAR SPRING SEAT: Rear Spring Seat 2, REAR SPRINGS-(weight): Extra variant, REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle, REFRIGERANT AGENT QUANTITY: Refrigerating agent 650g, REFRIGERANT: 1234YF, REGION IF DVD: DVD region 2, REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app, REMOTE MONITORING SYSTEM: RMS deactivated, RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle, RIM - INCH: 19 Rim, Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h), Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung), Road Sign Information - Verkehrszeichenerkennung, Rücksitzlehnen umlegbar (elektrisch), SAFETY BELT: Safety Belt - type B, SCREEN THEMES/SKINS: Screen Skins Standard 1, SEAT COLOUR INTERIOR: Charcoal upholstery colour interior, SEDAN, SERVICE ENGINE TIME: Service Engine Time - 650 hour, SERVICE SOLUTION: Service solution, SERVICE TIME: Service time - 12 months., SHIFT BY WIRE: With Shift By Wire 2, SIM CARD FOR CONNECTIVITY: Only through Personal SIM, SPACER LEAF SPRING: Spacer Leaf Spring 7, SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle, SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation, SPEECH LANGUAGE - NOT USED: English, SRS CALIBRATION: SRS Calibration 1, STEERING COLUMN: Steering column type C manual adj., STEERING WHEEL POSITION: Left Hand Drive, STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification, STOP/START: Stop/Start, SUNVISOR DECAL: Sunvisor decal, SUPPORT BATTERY: Support Battery 6 - 48V, SW MAJOR VERSION: SW Major default, SW MINOR VERSION: SW Minor default, SW PATCH VERSION: SW Patch default, Scheuerleiste Heckklappe - Kunststoff, Schlüsselloser Zugang mit automatischem Öffnen des Kofferraums, Schutzkappen, Sitzheizung hinten (äussere Fondsitze), Sport-Frontgrill in Hochglanzschwarz, Sprachfunktion, Standheizung mit Timer (kraftstoffbetrieben), Start-Stopp-Technologie, TCM POLESTAR SW: Extra variant, TELEPHONE NETWORK: Telephone system GSM, TOTAL WEIGHT CHECK: Carweight is OK, TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu, TRAIN WEIGHT - C2: 4100 kg, TRANSMISSION: AWD All wheel drive, TRUNK RELEASE - POP UP: Remote & interior trunk release - POP UP, TURBO CONFIGURATION: Medium performance, TYRE - INCH: 19 Tyre, TYRE CIRCUMFERENCE: Rolling circumference 2060mm, TYRE DIMENSION FOR LABELS: NONE, TYRE PRESSURE HHLF: High speed - heavy load - front - 260 kPa, TYRE PRESSURE HHLR: High speed - heavy load - rear - 260 kPa, TYRE PRESSURE HLLF: High speed - light load - front - 230 kPa, TYRE PRESSURE HLLR: High speed - light load - rear - 230 kPa, TYRE PRESSURE LHLF: Low speed - heavy load - front - 260 kPa, TYRE PRESSURE LHLLR: Low speed - heavy load - rear - 260 kPa, TYRE PRESSURE LLLF: Low speed - light load - front - 230 kPa, TYRE PRESSURE LLLL: Low speed - light load - rear - 230 kPa, TYRE PRESSURE SPARE WHEEL: - The sign - to be printed., Teil-Leder/Mesh-Textil, UNDER FLOOR AERO KIT: Under Floor Aero KIT, UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:liter/KM, UPHOLSTERY TYPE: Production upholstery, USER EXCEPTIONS: Not for Daqing, USER EXCEPTIONS: Not for Malaysia, USER EXCEPTIONS: Not for Volvo Cars Gent, USER EXCEPTIONS: Not for Volvo Cars Torslanda, USER EXCEPTIONS: Only for Volvo Cars Charleston, USER PACKAGES: User package, VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System, VEHICLE INSPECTION NUMBER: 7JR, VEHICLE TYPE: V431 S60, VEP4 MP 2.0L 250/350, VERSION DIVIDER FOR VIN: Version Divider V, VIBR. DAMPER STEERING WHEEL: Vibration damper - version 3, VIDEO ALLOWED: Speed dependent, VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION), VIN POS 4 or 7: VIN-code position 4, VIN POS 5 or 8: VIN-code position 5, VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON, Verzurrösen im Gepäckraum (klappbar), Voll-LED-Scheinwerfer Thors Hammer Active High

Beam, Vorlauffahrzeug, WORKSHOP WIFI: With workshop wifi, WVTA-NUMBER: e42007/461315, YEAR DESIGNATION LETTER:
Year des R = model year 2024, Zentralverriegelung mit elektrischer Entriegelung, Zentralverriegelung mit zwei
Funkfernbedienungen

Int.KnNr: RG322737 ... Änderungen, Zwischenverkauf und Irrtümer vorbehalten.

***Informationen zum Energieverbrauch**

Die angegebenen (kombinierten) Werte wurden nach den vorgeschriebenen Messverfahren (VO(EG)715/2007 in der gegenwärtig geltenden Fassung) ermittelt. Die Angaben beziehen sich nicht auf ein einzelnes Fahrzeug und sind nicht Bestandteil des Angebots, sondern dienen allein Vergleichszwecken zwischen den verschiedenen Fahrzeugtypen. Der Kraftstoffverbrauch und die CO₂-Emissionen eines Fahrzeugs hängen nicht nur von der effizienten Ausnutzung des Kraftstoffs durch das Fahrzeug ab, sondern werden auch vom Fahrverhalten und anderen nichttechnischen Faktoren beeinflusst. Hinweis nach Richtlinie 1999/94/EG. Weitere Informationen zum offiziellen Kraftstoffverbrauch und den offiziellen spezifischen CO₂-Emissionen neuer Personenkraftwagen können dem "Leitfaden über den Kraftstoffverbrauch und die CO₂-Emissionen neuer Personenkraftwagen" entnommen werden, der an allen Verkaufsstellen und bei der "Deutschen Automobil Treuhand GmbH" unter www.dat.de unentgeltlich erhältlich ist.