

€ 83.900,00
(MwSt. ausweisbar)

Volvo V90

V90 T8 AWD Plug-in Hybrid Elektrisch/Benzin Plus Dark



NEU!

MOLL GRUPPE
AUTO PERFORMANCE

VOLVO

moll.de

Kombi
Hybrid/Benzin
1969ccm

Neuwagen
15km
335 kW (455 PS)
Automatik

Verbrauchangaben:
komb. 0,0 l/100km*
CO₂ Emissionen
komb. 0,0 g/km*
Schadstoffklasse
Euro6

A	
B	
C	
D	
E	
F	
G	

B

Standort

Autohaus Adelbert Moll GmbH & Co. KG
Schiesstrasse 40, 40549 Düsseldorf
Tel: 0211 95985717

Ausstattung

Scheckheftgepflegt	Klimaautomatik	elektr. Fensterheber	Servolenkung
Tempomat	Zentralverriegelung	Airbag	Kopfairbag
Seitenairbag	Wegfahrsperre	Abstandsregler	Soundsystem
Bluetooth	Panoramadach	Rueckfahrkamera	StartStop
Accoustic Sound System	Android Auto	Berganfahrhilfe	Fahrersitz hoehenverstellbar
Lordosenstuetze	Musikstreaming	Notrufsystem	Parksensor
Radio MP3 faehig	Reifendruckkontrolle	Scheinwerferreinigungsanlage	Colorscheibe
ABS	Airbag vorne	Aussenspiegel elektrisch	Isofix
Kurvenlicht	Lenkrad mit Multifunktion	Muedigkeitswarner	Rueckbank getrennt umlegbar
Abstandstempomat	Bordcomputer	Innenspiegel abblendbar	Nichtraucher

Radio	Allrad	Apple CarPlay	ESP
Bluetooth Freisprechanlage	Mittelarmlehne	Notbremsassistent	Regensensor
Scheckheftgepflegt	Sitzheizung	Sportsitze	Touchscreen
Sprachsteuerung	Traktionskontrolle	USB	360Grad Kamera
Sitzheizung	Leichtmetallfelgen	PDC	Colorverglasung
Frontscheibe beheizt	Dachreling	Nebelscheinwerfer	Bremsbelaganzeige
iPad/iPod-anschluss	Standheizung	Waschwasserstand	Digitaler Radioempfang (DAB+)
Kunstleder	Lenkradheizung	Sitzheizung vorn	Knieairbag Fahrerseite
Volvo ON CALL	Subwoofer	Dachhimmel in Anthrazit	Elektrisch einstellbarer Beifahrersitz
Geschwindigkeitsabhängige Servolenkung	Heckklappenautomatik (elektrisch)	Ladebox unter dem Laderaumboden	Memoryfunktion für Beifahrersitz
Pilot Assist	Aussenspiegel elektrisch einklappbar	Innen- und Aussenspiegel mit Abblendautomatik	Laderaumrollo (semiautomatisch)
Multifunktionstasten am Lenkrad	Seiten- und Heckfenster abgedunkelt (ab B-Säule)	Bluetooth-Freisprecheinrichtung inkl. Audiostreaming	Blinkleuchten (LED) in Aussenspiegeln integriert
Ambientebeleuchtung (Erweiterte Innenbeleuchtung)	Kopf-/Schulterairbags (IC) für alle Insassen	Seitenairbags für Fahrer und Beifahrer	Sitzheizung hinten (äussere Fondsitze)
Parkkamera mit 360 Surround View	Armaturentafel in Lederoptik mit Kontrastnähten	Kopfstützen der 2. Sitzreihe umlegbar (elektrisch)	Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz
Rücksitze im Verhältnis 40/60 oder komplett umlegbar	Premium Sound by Harman Kardon	Ambientelicht	Klimaautomatik
Waermeschutzverglasung	Xenon-Licht	elektr. Heckklappe	Privacy Verglasung
Lichtsensoren	Uhr- und Drehzahlmesser	Spiegel mit Abblendautomatik	HeadUp-Display
Gepäckraumabtrennung	8-AUT 2WD	Airbag für die Beifahrerseite (vorn) abschaltbar	ISOFIX-Aufnahmen für die äusseren Fondsitze
Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung)	Road Sign Information - Verkehrszeichenerkennung	TRANSMISSION: 2 wheel drive	LED-Scheinwerfer Thors Hammer
Elektrisch einstellbarer Fahrersitz (8-Wege) mit Memoryfunktion	Dachreling in Hochglanzschwarz (integriert)	Hill Start Assist (HSA) - Berganfahrassistent	Klimaautomatik mit 2-Zonen-Temperaturregelung
Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h)	Aluminiumladekantenschutz im Gepäckraum	CHARCOAL/LEACR/CHARC/S	Keyless Drive mit sensorgesteuerter Heckklappe
Fensterumrandung in Hochglanzschwarz	DAB RADIO RECEIVER: With DAB	Automatische Verriegelung der Türen (deaktivierbar)	Heckaufprallabschwächung - Präventivschutz bei drohenden Heckkollisionen
Zentralverriegelung mit zwei Funkfernbedienungen	EXTERIOR LIGHT LOGIC: DDRL not together with position light	Adaptive Geschwindigkeitsregelanlage	Intelligentes Fahrer-Informationssystem (IDIS)
Lederfreies Sportlenkrad	Designelemente in Hochglanzschwarz	Navigationssystem - not appreciated	Alkohol-Wegfahrsperre
Erste-Hilfe-Set	Intelligenter Geschwindigkeitsassistent (ISA)	Premium-Textilfussmatten	Vorbereitung Sicherheitsbremsssystem
Automatikgetriebe	12.3-Fahrerdisplay (31.2-cm-Diagonale)	2 USB-C-Anschlüsse	9-Touchscreen (22.9-cm-Diagonale)
ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car	ADM POLICE/TAXI/SPECV: Administrative designation for not police cars	ADM TRIMLEVEL: Administrative for R-Design vehicle	ADM. FAMILY AFTERMARKET: ESM Standard
ADM. FAMILY AFTERMARKET: Original fuel tank	ADM. FAMILY AFTERMARKET: SOC 100	ADM. FAMILY AFTERMARKET: Service solution	ADM. FAMILY AFTERMARKET: Standard BCM2 SW
ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function	APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor	ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL)	AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled
AUTOMATIC LOCKING BY SPEED: Automatic Locking by	Aussenspiegel in Hochglanzschwarz	BASE COLOUR INTERIOR: Charcoal base colour interior	BRAKE PADS: Standard pad

speed enabled - default ON			
BUMPER FRONT: Extra variant	BYPASS VALVE HVAC: With bypass valve	Beheiztes Volvo Logo im Frontgrill	Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA)
CABLE HARNESS ENGINE: Extra variant	CABLEHARNESS COCKPIT: Extra variant	CABLEHARNESS FRONT BUMPER: Extra variant	CABLEHARNESS ROOF: Extra variant
CAR/STEERING/SEAT: Extra Variant	CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B	COLOUR MATCHING - EXTERIOR: Colour matching - exterior	COLOURED PROTECTION CARPETS: Charcoal carpet kit - X-variant
CONNECTIVITY: With Connectivity	CSB - IF CONNECTIVITY: Connected Service Booking	CYLINDERS ENGINE PETROL/DIESEL: 4-cylinder engine	DIAGNOSIS SYSTEM: EOBD
DIVERGENT COLOUR HEADLINING: Standard colour on headlining/ceiling	Dekoreinlage Aluminium: Metal Mesh	Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo	Digitales Benutzerhandbuch
EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4	EMISSION EVAPORATOR SYSTEM: Evaporator system - EU6	END STOP QUANTITY - DRIVER SEAT: Endstop driver seat - 1psc	END STOP QUANTITY - PASSENGER: Endstop passenger seat - 1psc
ENGINE COOLING FAN PERFORMANCE: Fan medium performance	ENGINE FAMILY 2: VEP4 Engines	ENGINE FAMILY 4: MP/HP	ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine
EXTERIOR PAINTTYPE: Metallic	Einparkhilfe - vorne - hinten und seitlich	Escalated Emergency Stop: EES Level 1	FENDER SEALING: Fender sealing
FOOT MOVEMENT DETECTION MODULE: Foot movement detection module Gen2	FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ	FREQUENCY BAND & STEPRADIO: Frequency band and step for EU	FRONT AXLE WEIGHT - only CC: Front Axle Weight
FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant	FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant	FRONT SEATS - LH: Extra variant	FRONT SEATS - RH: Extra variant
FRONT SPRINGS-(weight): Extra variant	Fahrmodus-Glasknopf	GASOLINE PARTICLE FILTER: With GPF	GEARBOX/DRIVELINE: 8-speed automatic - 2WD and 4WD
GEARBOXTYPE: Automatic gearbox	GEARSHIFT INDICATOR: Gearshift indicator	Gurtwarner für alle Sitze	HEADLIGHTSSYMMETRY: R asymmetric
HEADRESTS FRONT: 2 way headsrests Front - manual	HORN: Horn - std.	Hohe Bremsleuchten	INFOTAINMENT HEAD UNIT: Extra variant
INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE	IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass	LAMBDA SENSORS: 2 Lambda probes	LANGUAGE REGION: Language Region for Europe
LEVELLING SENSOR CONFIGURATION: VDDM - Front Right - Rear Right	Lane Keeping Aid und Lane Departure Warning	MAIN MARKET: Europe and Overseas markets	MARKET PLATES/LABELS: Decals for outside Turkey
MARKET PLATES/LABELS: Decals outside Arabia	MARKET PLATES/LABELS: Decals outside Brazil	MARKET PLATES/LABELS: Decals outside China	MARKET PLATES/LABELS: Decals outside India
MARKET PLATES/LABELS: Decals outside Japan	MARKET PLATES/LABELS: Decals outside Japan/China	MARKET PLATES/LABELS: Decals outside Japan/China/Korea	MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia
MARKET PLATES/LABELS: Decals outside Russia	MARKET PLATES/LABELS: Labels for Europe	MARKET PLATES/LABELS: Labels for MID EU	MARKET PLATES/LABELS: Labels outside Australia
MARKET PLATES/LABELS: Labels outside Canada	MARKET PLATES/LABELS: Labels outside Korea	MARKET PLATES/LABELS: Labels outside USA	MARKET PLATES/LABELS: Labels outside USA/CANADA
MAXIMUM LOAD: Not applicable variant	MFI FUEL FILLER: MisFueling Inhibitor	Mittelarmlehne hinten inkl. Getränkehalter und Ablage	NETWORK CONNECTIVITY
Notfall-Bremsleuchten	OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked	OUTER REAR VIEW MIRRORS: Outer rear view mirror package	MODE: TCAM in normal mode
PANIC FUNCTION: Panic function with light & sound	PARTS FOR SPECIAL PRODUCTS: Parts excluded for Special Vehicle	PEDESTRIAN PROTECTION POP-UP: Pedestrian Protection pop-up bonnets	OVERHEAD CONSOLE ILLUMINATION: Overhead console lightning high version
PLATES/DECALS: Labels for MFK19	POST IMPACT BRAKING: Post Impact Braking	PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL	PINCH PROTECTION LEVEL: Standard pinch protection
PRODUCT LABEL: Country of	Pedale	RADARTYPE: With ARGUS	PRIVATE LOCKING LUGGAGE COMP.: Private locking disabled
			REAR AXLE CABLE HARNESS:

Origin			Extra variant
REAR AXLE WEIGHT - only CC:REAR SPRINGS-(weight): Rear Axle Weight	Extra variant	REAR WIEW MIRRORLH SIDE: LH side rear wiew mirror - wide angle	REFRIGERANT: 1234YF
REGION IF DVD: DVD region 2	REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app	RETRIGG ENABLING - IF ALARM: Retrigg 1 cycle	RIM - INCH: 19 Rim
SAFETY BELT: Safety Belt - type B	SCREEN THEMES/SKINS: Screen Skins Standard 1	SEAT COLOUR INTERIOR: Charcoal upholstery colour interior	SERVICE ENGINE TIME: Service Engine Time - 650 hour
SERVICE SOLUTION: Service solution	SERVICE TIME: Service time - 12 months.	SHIFT BY WIRE: With Shift By Wire 2	SIM CARD FOR CONNECTIVITY: Only through Personal SIM
SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle	SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation	SPEECH LANGUAGE - NOT USED: English	SRS CALIBRATION: SRS Calibration 1
STEERING COLUMN: Steering column type C manual adj.	STEERING WHEEL POSITION: Left Hand Drive	STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification	SUNVISOR DECAL: Sunvisor decal
SW MAJOR VERSION: SW Major default Sprachfunktion	SW MINOR VERSION: SW Minor default TCM POLESTAR SW: Extra variant	SW PATCH VERSION: SW Patch default TELEPHONE NETWORK: Telephone system GSM	Sport-Frontgrill in Hochglanzschwarz
TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu	TYRE - INCH: 19 Tyre	TYRE DIMENSION FOR LABELS: NONE	TOTAL WEIGHT CHECK: Carweight is OK TYRE PRESSURE SPARE WHEEL: - The sign - to be printed.
UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:Liter/KM	USER EXCEPTIONS: Not for Daqing	USER EXCEPTIONS: Not for Malaysia	USER PACKAGES: User package
VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System	VERSION DIVIDER FOR VIN: Version Divider V	VIBR. DAMPER STEERING WHEEL: Vibration damper - version 3	VIDEO ALLOWED: Speed dependent
VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION)	VIN POS 4 or 7: VIN-code position 4	VIN POS 5 or 8: VIN-code position 5	VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON
WORKSHOP WIFI: With workshop wifi	Zentralverriegelung mit elektrischer Entriegelung	ACTIVE GRILLSHUTTER: Active Grillshutter	BUMPER FRONT: Front bumper with holes for number plate holder
DOORS: 5 door	L3	TUNER: With DAB tuner - with FM tuner (for DAB)	VEHICLE INSPECTION NUMBER: YV1
Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App (optional) oder Menü	AC COMPRESSORS: Electric AC	COLOURSINT/EXT: Vapour Grey	EXTERIOR CODE: Vapour Grey
VAPOUR GREY / Metallic	VEA gen 2 - Euro 6d	Acoustic Vehicle Alerting System (AVAS)	AVAS - ESM CALIBRATION: AVAS With ESM calibration C
Active Noise Control (EOE & EOR)	CATALYST TYPE: Catalyst Petrol 6c	COLOUR MATCHING - INTERIOR: Colour matching interior	CREEP SETTING: With creep function - default OFF
Connector - EU type	ENGINE DENOMINATION: Engine T8	ENGINE GENERATION VEA2: VEA generation 2	ENGINE GENERATION VEA: VEP4 generation 2
ENGINE/GENERATION: B4204T56 GEN 2	ENGINE: VEP4 HP 2.0L 310/400	Einstiegsleisten aus Aluminium mit Volvo Schriftzug (illuminert)	HV Li-Ion 369V 51Ah
INSULATION CARPETS: Standard spec NVH-carpets	LOADING FLOOR - REAR: Rear loading floor 1	Ladekabel Schuko/Typ 2 (Mode 2) - 7 m Länge - 1- phasig - 10A	Painted bumper - R-design
REMOTE BATTERY	SEAT BELT FOR SPECV:	SPACER LEAF SPRING: Spacer	SURFACE TREATMENT TYPE

MANAGEMENT: With Remote Battery Management from smartphone app	Standard Belt - follows base car	Leaf Spring 10	GRILL: Standard surface treatment grill
Standheizung mit Timer (elektrischbetrieben)	THERMOSTAT: Thermostat MEK	TURBO CONFIGURATION: High performance	TWIN ENGINE AWD Rank mark
USER EXCEPTIONS: Only for Volvo Cars Torslanda	VEP4 HP 2.0L 310/400	WINDSCREEN FOR SPECV: Standard Windscreen - follows base car	YEAR DESIGNATION LETTER: Year des S = model year 2025
Kindersicherung hintere Tür elektrisch	19-8-Speichen-Design Diamantschnitt/Hochglanzschwarz	255/40R19	ANIMATED LIGHT: With animated light
Anhängerbeleuchtungsprüfung	CAR/GEARBOX/DRIVELINE: V542 auto 2wd	COMMON 40: V541/V542/V543	COMMON MATERIAL: Common material - all type 40 cars
CONVERSION BIFUEL: Not to use for gas conversion	COOLER KIT TYPE (F): Cooler kit type 1	END STOP LENGTH: Length 4	ENGINE VIBRATION DAMPER: With engine vibration damper
Electric Rear Axle Drive 7 (122PS)	Emblem T8	Erweitertes Luftreinigungssystem	FLOOR HATCH EXCEPTION: With Floor Hatch in C-shop
GROSS WEIGHT - C1: 2590 kg	INFLATABLE CURTAINS: Inflatable curtains - type B	INTERIOR CODE: Charcoal interior/LeaC/Charcoal seat/Sport	LOAD HOOKS LUGGAGE: With four load hooks
MAX FRONT AXLE WEIGHT - C3: 1290 kg	MAX REAR AXLE WEIGHT - C4: 1390 kg	MODEL COMMON MATERIAL: Common material V541/V542	MODEL COMMON MATERIAL: Common material V541/V542/V543
Menüsprache Deutsch für Instrumente und Radio	Model: V90 Plus Dark ESTATE 5 door	Nappaleder/perforiertes Nappaleder	POLICE KIT ABCUSTOMS & FMV: Not for Police
REAR SPRING SEAT: Rear Spring Seat 3	REFRIGERANT AGENT QUANTITY: Refrigerating agent 675g	Rear brake 17 inch	SHIELDED WIRE - IF POT: Shielded wire
Schutz vor Schleudertrauma-Verletzungen	TRAIN WEIGHT - C2: 4690 kg	TYRE CIRCUMFERENCE: Rolling circumference 2095mm	TYRE PRESSURE HHLF: High speed - heavy load - front - 270 kPa
TYRE PRESSURE HHLR: High speed - heavy load - rear - 270 kPa	TYRE PRESSURE HLLF: High speed - light load - front - 240 kPa	TYRE PRESSURE HLLR: High speed - light load - rear - 240 kPa	TYRE PRESSURE LHLF: Low speed - heavy load - front - 270 kPa
TYRE PRESSURE LHLR: Low speed - heavy load - rear - 270 kPa	TYRE PRESSURE LLLF: Low speed - light load - front - 240 kPa	TYRE PRESSURE LLLR: Low speed - light load - rear - 240 kPa	VEHICLE TYPE: V542 V90
WHEEL NUT PROTECTION CAP: Not with plastic protection	WVTA-NUMBER: e42007/461067		

Fahrzeugbeschreibung

* Getriebe: Automatik

* Umwelt: Abgasnorm Euro6, Energieeffizienzklasse B

* Weiteres: * **HIGHLIGHTS & PAKETE**, Regensensor, Sitzheizung vorn, **ASSISTENZSYSTEME**, Adaptive Geschwindigkeitsregelanlage, **MOTOR GETRIEBE & FAHRWERK**, Geschwindigkeitsabhängige Servolenkung, VEA gen 2 - Euro 6d, **AUDIO & KOMMUNIKATION**, Apple CarPlay, Subwoofer, Bluetooth-Freisprecheinrichtung inkl. Audiostreaming, Digitaler Radioempfang (DAB+), Volvo On Call, **INTERIEUR**, Sportsitze, Innen- und Aussenspiegel mit Abblendautomatik, Lendenwirbelstütze (4-Wege) für Fahrer- und Beifahrersitz, Lenkradheizung, Multifunktionstasten am Lenkrad, Seiten- und Heckfenster abgedunkelt (ab B-Säule), Colorverglasung, **TECHNIK & SICHERHEIT**, Acoustic Vehicle Alerting System (AVAS), Automatikgetriebe, Knieairbag Fahrerseite, Kopf-/Schulterairbags (IC) für alle Insassen, Seitenairbags für Fahrer und Beifahrer, **EXTERIEUR**, Heckklappenautomatik (elektrisch), **Weitere Merkmale**, 12.3-Fahrerdisplay (31.2-cm-Diagonale), 19-8-Speichen-Design Diamantschnitt/Hochglanzschwarz, 2 USB-C-Anschlüsse, 255/40R19, 8-AUT 2WD, 9-Touchscreen (22.9-cm-Diagonale), AC COMPRESSORS: Electric AC, ACTIVE GRILLSHUTTER: Active Grillshutter, ADM FOR S-CAR (UNIQUE PNO): Adm. variant for standard car, ADM POLICE/TAXI/SPECV: Administrative designation for not police cars, ADM TRIMLEVEL: Administrative for R-Design vehicle, ADM. FAMILY AFTERMARKET: ESM Standard, ADM. FAMILY AFTERMARKET: Original fuel tank, ADM. FAMILY AFTERMARKET: SOC 100, ADM. FAMILY AFTERMARKET: Service solution, ADM. FAMILY AFTERMARKET: Standard BCM2 SW, ADM. FAMILY FOR TPMS: With ITPMS-(indirect)function, ANIMATED LIGHT: With animated light, APMS: Air borne Particulate Matter Sensor - aka PM2.5-sensor, ASSISTANCE SERVICES: With Assistance Services (VOC + ECALL), AUDIBLE LOCKING FEEDBACK: Audible locking feedback disabled, AUTOMATIC LOCKING BY SPEED: Automatic Locking by speed enabled - default ON, AVAS - ESM CALIBRATION: AVAS With ESM calibration C, Active Noise Control (EOE & EOR), Airbag für die Beifahrerseite (vorn) abschaltbar, Alkohol-Wegfahrsperre Vorbereitung, Aluminiumladekantenschutz im Gepäckraum, Ambientebeleuchtung (erweiterte Innenbeleuchtung), Anhängerbeleuchtungsprüfung, Armaturentafel in Lederoptik mit Kontrastnähten, Aussenspiegel elektrisch einklappbar, Aussenspiegel in Hochglanzschwarz, Automatische Verriegelung der Türen (deaktivierbar), BASE COLOUR INTERIOR: Charcoal base colour interior, BRAKE PADS: Standard pad, BUMPER FRONT: Extra variant, BUMPER FRONT: Front bumper with holes for number plate holder, BYPASS VALVE HVAC: With bypass valve, Beheiztes Volvo Logo im Frontgrill, Blind Spot Information System (BLIS) und Cross Traffic Alert (CTA), Blinkleuchten (LED) in Aussenspiegeln integriert, CABLE HARNESS ENGINE: Extra variant, CABLEHARNESS COCKPIT: Extra variant, CABLEHARNESS FRONT BUMPER: Extra variant, CABLEHARNESS ROOF: Extra variant, CAR/GEARBOX/DRIVELINE: V542 auto 2wd, CAR/STEERING/SEAT: Extra Variant, CATALYST TYPE: Catalyst Petrol 6c, CHARCOAL/LEACR/CHARC/S, CHILD SEAT ATTCHM - LABEL REAR: Isofix label - B, COLOUR MATCHING - EXTERIOR: Colour matching - exterior, COLOUR MATCHING - INTERIOR: Colour matching interior, COLOURED PROTECTION CARPETS: Charcoal carpet kit - X-variant, COLOURSINT/EXT: Vapour Grey, COMMON 40: V541/V542/V543, COMMON MATERIAL: Common material - all type 40 cars, CONNECTIVITY: With Connectivity, CONVERSION BIFUEL: Not to use for gas conversion, COOLER KIT TYPE (F): Cooler kit type 1, CREEP SETTING: With creep function - default OFF, CSB - IF CONNECTIVITY: Connected Service Booking, CYLINDERS ENGINE PETROL/DIESEL: 4-cylinder engine, Connector - EU type, DAB RADIO RECEIVER: With DAB, DIAGNOSIS SYSTEM: EOBD, DIVERGENT COLOUR HEADLINING: Standard colour on headlining/ceiling, DOORS: 5 door, Dachhimmel in Anthrazit, Dachreling in Hochglanzschwarz (integriert), Dekoreinlage Aluminium: Metal Mesh, Designelemente in Hochglanzschwarz, Digital Services (Google Maps - Assistant - Play Store) - inklusive 4-Jahres-Abo, Digitales Benutzerhandbuch, EMERGENCY LANE KEEPING AID: Emergency Lane Keeping Aid 4, EMISSION EVAPORATOR SYSTEM: Evaporator system - EU6, END STOP LENGTH: Length 4, END STOP QUANTITY - DRIVER SEAT: Endstop driver seat - 1psc, END STOP QUANTITY - PASSENGER: Endstop passenger seat - 1psc, ENGINE COOLING FAN PERFORMANCE: Fan medium performance, ENGINE DENOMINATION: Engine T8, ENGINE FAMILY 2: VEP4 Engines, ENGINE FAMILY 4: MP/HP, ENGINE GENERATION VEA2: VEA generation 2, ENGINE GENERATION VEA: VEP4 generation 2, ENGINE OPTIMIZATION AFTERMARKE: Standard calibration engine, ENGINE VIBRATION DAMPER: With engine vibration damper, ENGINE/GENERATION: B4204T56 GEN 2, ENGINE: VEP4 HP 2.0L 310/400, EXTERIOR CODE: Vapour Grey, EXTERIOR LIGHT LOGIC: DDRL not together with position light, EXTERIOR PAINTTYPE: Metallic, Einparkhilfe - vorne - hinten und seitlich, Einstiegsleisten aus Aluminium mit Volvo Schriftzug (illuminert), Electric Rear Axle Drive 7 (122PS), Elektrisch Einstellbarer Beifahrersitz, Elektrisch einstellbarer Fahrersitz (8-Wege) mit Memoryfunktion, Emblem T8, Erste-Hilfe-Set, Erweitertes Luftreinigungssystem, Escalated Emergency Stop: EES Level 1, FENDER SEALING: Fender sealing, FLOOR HATCH EXCEPTION: With Floor Hatch in C-shop, FOOT MOVEMENT DETECTION MODULE: Foot movement detection module Gen2, FREQUENCY - REMOTE CONTROLS: Frequency 434 MHZ, FREQUENCY BAND & STEPRADIO: Frequency band and step for EU, FRONT AXLE WEIGHT - only CC: Front Axle Weight, FRONT SEAT - LEFT HAND SIDE: LH Seat - extra variant, FRONT SEAT - RIGHT HAND SIDE: RH Seat - Extra variant, FRONT SEATS - LH: Extra variant, FRONT SEATS - RH: Extra variant, FRONT SPRINGS-(weight): Extra variant, Fahrmodus-Glasknopf, Fensterumrandung in Hochglanzschwarz, GASOLINE PARTICLE FILTER: With GPF, GEARBOX/DRIVELINE: 8-speed automatic - 2WD and 4WD, GEARBOXTYPE: Automatic gearbox, GEARSHIFT INDICATOR: Gearshift indicator, GROSS WEIGHT - C1: 2590 kg, Gurtwarner für alle Sitze, HEADLIGHTSSYMMETRY: R asymmetric, HEADRESTS FRONT: 2 way headrests Front - manual, HORN: Horn - std., HV Li-Ion 369V 51Ah, Heckaufprallabschwächung -

Präventivschutz bei drohenden Heckkollisionen, Hill Start Assist (HSA) - Berganfahrassistent, Hohe Bremsleuchten, INFLATABLE CURTAINS: Inflatable curtains - type B, INFOTAINMENT HEAD UNIT: Extra variant, INSTRUMENT CLUSTER CALIBR.: Parameter file for EUROPE, INSULATION CARPETS: Standard spec NVH-carpets, INTERIOR CODE: Charcoal interior/LeaC/Charcoal seat/Sport, IR REFLECTIVE GLASS WINDSCREEN: Standard Windscreen Glass, ISOFIX-Aufnahmen für die äusseren Fondsitze, Intelligenter Geschwindigkeitsassistent (ISA), Intelligentes Fahrer-Informationssystem (IDIS), Keyless Drive mit sensorgesteuerter Heckklappe, Kindersicherung hintere Tür elektrisch, Klimaautomatik mit 2-Zonen-Temperaturregelung, Kopfstützen der 2. Sitzreihe umlegbar (elektrisch), L3, LAMBDA SENSORS: 2 Lambda probes, LANGUAGE REGION: Language Region for Europe, LED-Scheinwerfer Thors Hammer, LEVELLING SENSOR CONFIGURATION: VDDM - Front Right - Rear Right, LOAD HOOKS LUGGAGE: With four load hooks, LOADING FLOOR - REAR: Rear loading floor 1, Ladebox unter dem Laderaumboden, Ladekabel Schuko/Typ 2 (Mode 2) - 7 m Länge - 1-phasig - 10A, Laderaumrollo (semiautomatisch), Lane Keeping Aid und Lane Departure Warning, Lederfreies Sportlenkrad, MAIN MARKET: Europe and Overseas markets, MARKET PLATES/LABELS: Decals for outside Turkey, MARKET PLATES/LABELS: Decals outside Arabia, MARKET PLATES/LABELS: Decals outside Brazil, MARKET PLATES/LABELS: Decals outside China, MARKET PLATES/LABELS: Decals outside India, MARKET PLATES/LABELS: Decals outside Japan, MARKET PLATES/LABELS: Decals outside Japan/China, MARKET PLATES/LABELS: Decals outside Japan/China/Korea, MARKET PLATES/LABELS: Decals outside Latin America/Mexico/Russia, MARKET PLATES/LABELS: Decals outside Russia, MARKET PLATES/LABELS: Labels for Europe, MARKET PLATES/LABELS: Labels for MID EU, MARKET PLATES/LABELS: Labels outside Australia, MARKET PLATES/LABELS: Labels outside Canada, MARKET PLATES/LABELS: Labels outside Korea, MARKET PLATES/LABELS: Labels outside USA, MARKET PLATES/LABELS: Labels outside USA/CANADA, MAX FRONT AXLE WEIGHT - C3: 1290 kg, MAX REAR AXLE WEIGHT - C4: 1390 kg, MAXIMUM LOAD: Not applicable variant, MFI FUEL FILLER: MisFueling Inhibitor, MODEL COMMON MATERIAL: Common material V541/V542, MODEL COMMON MATERIAL: Common material V541/V542/V543, Memoryfunktion für Beifahrersitz, Menüsprache Deutsch für Instrumente und Radio, Mittelarmlehne hinten inkl. Getränkehalter und Ablage, Model: V90 Plus Dark ESTATE 5 door, NETWORK CONNECTIVITY MODE: TCAM in normal mode, Nappaleder/perforiertes Nappaleder, Notfall-Bremsleuchten, OPEN - REAR SIDE DOOR: 1 pull to open Rear side door - from locked, OUTER REAR VIEW MIRRORS: Outer rear view mirror package, OVERHEAD CONSOLE ILLUMINATION: Overhead console lightning high version, PANIC FUNCTION: Panic function with light & sound, PARTS FOR SPECIAL PRODUCTS: Parts excluded for Special Vehicle, PEDESTRIAN PROTECTION POP-UP: Pedestrian Protection pop-up bonnets, PINCH PROTECTION LEVEL: Standard pinch protection, PLATES/DECALS: Labels for MFK19, POLICE KIT ABCUSTOMS & FMV: Not for Police, POST IMPACT BRAKING: Post Impact Braking, PRE CLEANING: With Pre-Cleaning 2.1 GLOBAL, PRIVATE LOCKING LUGGAGE COMP.: Private locking disabled, PRODUCT LABEL: Country of Origin, Painted bumper - R-design, Parkkamera mit 360 Surround View, Pedale, Pilot Assist, Premium Sound by Harman Kardon, Premium-Textilfussmatten, RADARTYPE: With ARGUS, REAR AXLE CABLE HARNESS: Extra variant, REAR AXLE WEIGHT - only CC: Rear Axle Weight, REAR SPRING SEAT: Rear Spring Seat 3, REAR SPRINGS- (weight): Extra variant, REAR WIEW MIRROR LH SIDE: LH side rear wiew mirror - wide angle, REFRIGERANT AGENT QUANTITY: Refrigerating agent 675g, REFRIGERANT: 1234YF, REGION IF DVD: DVD region 2, REMOTE BATTERY MANAGEMENT: With Remote Battery Management from smartphone app, REMOTE ENGINE START PRECOND: Remote Engine Start Precond from smartphone app, RETRIGG ENABLING - IF ALARM: Retrigger 1 cycle, RIM - INCH: 19 Rim, Rear brake 17 inch, Reifendichtmittel mit 12-Volt-Kompressor (max. 80 km/h), Reifendruckkontrollsystem (mit reifenindividueller Druckverlustmeldung), Road Sign Information - Verkehrszeichenerkennung, Rücksitze im Verhältnis 40/60 oder komplett umlegbar, SAFETY BELT: Safety Belt - type B, SCREEN THEMES/SKINS: Screen Skins Standard 1, SEAT BELT FOR SPECV: Standard Belt - follows base car, SEAT COLOUR INTERIOR: Charcoal upholstery colour interior, SERVICE ENGINE TIME: Service Engine Time - 650 hour, SERVICE SOLUTION: Service solution, SERVICE TIME: Service time - 12 months., SHIELDED WIRE - IF POT: Shielded wire, SHIFT BY WIRE: With Shift By Wire 2, SIM CARD FOR CONNECTIVITY: Only through Personal SIM, SPACER LEAF SPRING: Spacer Leaf Spring 10, SPECIAL VEHICLE WEIGHT VERSION: Standard vehicle, SPECIAL VEHICLES SPEED LIMIT: Standard Speed Limitation, SPEECH LANGUAGE - NOT USED: English, SRS CALIBRATION: SRS Calibration 1, STEERING COLUMN: Steering column type C manual adj., STEERING WHEEL POSITION: Left Hand Drive, STOLEN VEHICLE/THEFT NOTIFY: With Stolen Vehicle Tracking / With Theft Notification, SUNVISOR DECAL: Sunvisor decal, SURFACE TREATMENT TYPE GRILL: Standard surface treatment grill, SW MAJOR VERSION: SW Major default, SW MINOR VERSION: SW Minor default, SW PATCH VERSION: SW Patch default, Schutz vor Schleudertrauma-Verletzungen, Sicherheitsbremssystem, Sitzheizung hinten (äussere Fondsitze), Sport-Frontgrill in Hochglanzschwarz, Sprachfunktion, Standheizung mit Timer (elektrischbetrieben), TCM POLESTAR SW: Extra variant, TELEPHONE NETWORK: Telephone system GSM, THERMOSTAT: Thermostat MEK, TOTAL WEIGHT CHECK: Carweight is OK, TPMS MENU FUNCTIONS in IHU: TPMS - Reset menu, TRAIN WEIGHT - C2: 4690 kg, TRANSMISSION: 2 wheel drive, TUNER: With DAB tuner - with FM tuner (for DAB), TURBO CONFIGURATION: High performance, TWIN ENGINE AWD Rank mark, TYRE - INCH: 19 Tyre, TYRE CIRCUMFERENCE: Rolling circumference 2095mm, TYRE DIMENSION FOR LABELS: NONE, TYRE PRESSURE HHLF: High speed - heavy load - front - 270 kPa, TYRE PRESSURE HHLR: High speed - heavy load - rear - 270 kPa, TYRE PRESSURE HLLF: High speed - light load - front - 240 kPa, TYRE PRESSURE HLLR: High speed - light load - rear - 240 kPa, TYRE PRESSURE LHLF: Low speed - heavy load - front - 270 kPa, TYRE PRESSURE LHLR: Low speed - heavy load - rear - 270 kPa, TYRE PRESSURE LLLF: Low speed - light load - front - 240 kPa, TYRE PRESSURE LLLR: Low speed - light load - rear - 240 kPa, TYRE PRESSURE SPARE WHEEL: - The sign - to be printed., UNIT SETTINGS: Temp:C - Clock:24 - Distance:KM - Fuel:liter/KM, USER EXCEPTIONS: Not for Daqing, USER EXCEPTIONS: Not for Malaysia, USER EXCEPTIONS: Only for Volvo Cars Torslanda, USER PACKAGES: User package, VACUUM LESS BRAKE SYSTEM: Vacuum Less Brake System, VAPOUR GREY / Metallic, VEHICLE INSPECTION NUMBER: YV1, VEHICLE TYPE: V542 V90, VEP4 HP 2.0L 310/400, VERSION DIVIDER FOR VIN: Version Divider V, VIBR. DAMPER STEERING WHEEL: Vibration

damper - version 3, VIDEO ALLOWED: Speed dependent, VIN CODE ADMIN SETTINGS: VIN CODE DEFINITION 3 (CHINA IMPORT & ROW VERSION), VIN POS 4 or 7: VIN-code position 4, VIN POS 5 or 8: VIN-code position 5, VISIBLE LOCKING/UNLOCKING: Visible locking and unlocking feedback - default ON, Vorbelüftung und Nachheizen des Innenraums bei abgeschaltetem Motor per Volvo Cars App (optional) oder Menü, WHEEL NUT PROTECTION CAP: Not with plastic protection, WINDSCREEN FOR SPECV: Standard Windscreen - follows base car, WORKSHOP WIFI: With workshop wifi, WVTA-NUMBER: e42007/461067, YEAR DESIGNATION LETTER: Year des S = model year 2025, Zentralverriegelung mit elektrischer Entriegelung, Zentralverriegelung mit zwei Funkfernbedienungen

Int.KnNr: S1227680 ... Änderungen, Zwischenverkauf und Irrtümer vorbehalten.

***Informationen zum Energieverbrauch**

Die angegebenen (kombinierten) Werte wurden nach den vorgeschriebenen Messverfahren (VO(EG)715/2007 in der gegenwärtig geltenden Fassung) ermittelt. Die Angaben beziehen sich nicht auf ein einzelnes Fahrzeug und sind nicht Bestandteil des Angebots, sondern dienen allein Vergleichszwecken zwischen den verschiedenen Fahrzeugtypen. Der Kraftstoffverbrauch und die CO₂-Emissionen eines Fahrzeugs hängen nicht nur von der effizienten Ausnutzung des Kraftstoffs durch das Fahrzeug ab, sondern werden auch vom Fahrverhalten und anderen nichttechnischen Faktoren beeinflusst. Hinweis nach Richtlinie 1999/94/EG. Weitere Informationen zum offiziellen Kraftstoffverbrauch und den offiziellen spezifischen CO₂-Emissionen neuer Personenkraftwagen können dem "Leitfaden über den Kraftstoffverbrauch und die CO₂-Emissionen neuer Personenkraftwagen" entnommen werden, der an allen Verkaufsstellen und bei der "Deutschen Automobil Treuhand GmbH" unter www.dat.de unentgeltlich erhältlich ist.